



# **South Australian Safe Water Entry Information**

(Previously SA Diving Constraints)

**Version 46**

**Updated January 2019**

Document Control.....	4
Adelaide Aquatic Centre .....	8
Adelaide Hills Swimming Centre (Onkaparinga Pool) .....	8
Balyana Pool.....	8
Berri Pool (Hayden Stoeckel Swimming Pool).....	8
Broken Hill .....	9
Booleroo Centre Pool .....	9
Bordertown Pool (Tatiara District Memorial Pool) .....	9
Burnside Pool (George Bolton Pool).....	9
Burra Pool.....	10
Carrieton Pool .....	10
Clare Pool .....	10
Cowell Pool .....	10
Crystal Brook Pool.....	10
Eudunda Pool.....	11
Fleurieu Aquatic Centre .....	11
Gawler Aquatic Centre .....	11
Geranium Pool.....	12
Gladstone Pool.....	12
Hawker Pool.....	12
Immanuel School Pool .....	12
Jamestown Pool .....	12
Keith Pool .....	13
Largs bay swim centre .....	13
Lameroo Swimming Centre.....	13
Leigh Creek Pool .....	13
Loxton Pool .....	13
Magill Pool (Univeristy of South Australia).....	14
Marion Outdoor Pool.....	14
Mount Barker Pool (Mountain Pool) .....	14
Mount Gambier Aquatic Centre.....	14
Mount Gambier Indoor Pool (swimskool).....	14
Murray Bridge Pool.....	15
Murrayville Pool.....	15
Noarlunga Leisure Centre – 25m Segment/Pool.....	15
Noarlunga Leisure Centre – 50M Segment/POOL .....	15
Norwood Swim School.....	16
Nuriootpa Pool (Barossa Valley).....	16
Orroroo Pool.....	16
Parafield Gardens Swimming Centre.....	16
Payneham Pool .....	17
Penola Pool.....	17
Pinnaroo Pool.....	17
Port Augusta Pool (Ryan Mitchell Swim Centre) .....	17
Port Lincoln Pool (West Coast).....	17
Port Pirie Swimming Pool.....	18
Prince Alfred College (Kent Town Swim) .....	18

Quorn Pool .....	18
Renmark Pool.....	18
Rex Barossa Aquatic & Fitness (Tanunda).....	19
Roxby Downs Leisure Centre .....	19
SA Aquatic & Leisure Centre.....	19
Salisbury Swimming Centre .....	19
Seaton swim Centre.....	20
Sherriffs Road Pool (Fleurieu) .....	20
Silver City Swim Centre .....	20
State Swim Clovercrest .....	20
State Swim Seaford.....	20
Strathalbyn Pool .....	21
Swan Reach Area School Pool .....	21
The ARC (Campbelltown).....	21
The Aquadome Pool (Playford Aquatic).....	21
Thebarton Pool (Henley & Grange).....	21
The Parks Sports and Recreation Centre Pool.....	22
Trinity College Pool (Starplex) .....	22
Unley Pool .....	22
Water World Pool (Tea Tree Gully).....	22
Waikerie Pool .....	22
Westminister School Pool.....	22
Woodside army barracks.....	23
Whyalla Pool .....	23
Appendix 1 – SwimmingSA Pool Depth Measurement template .....	24

**DOCUMENT CONTROL**

2011 - 2016	Version 23-34		See older versions for specifics of previous updates
18 <sup>th</sup> February 2016	Version 35	Updated form received	Renmark Pool
22 <sup>nd</sup> February 2016		Updated form received	Marion Outdoor Pool
13 <sup>th</sup> March 2016	Version 36	Updated form received	Mount Gambier Aquatic Centre
7 <sup>th</sup> November 2016	Version 37	Updated form received	Renmark Swimming Centre
9 <sup>th</sup> November 2016		Updated form received	The Parks Sport & Recreation Centre
29 <sup>th</sup> November 2016	Version 38	New Pool Added	Prince Alfred College
		Updated form received	Burnside Swimming Centre
		New Pool Added	Carrieton Pool
12 <sup>th</sup> January 2017	Version 39	Updated measurements taken	Renmark Pool
19 <sup>th</sup> January 2017		Updated form received	Berri Pool
16 <sup>th</sup> February 2017	Version 40	Updated form received	Waterworld (TTG)
21 <sup>st</sup> February 2017		New Pool added	Fleurieu Aquatic Centre
21 <sup>st</sup> February 2017		Updated form received	Burra Pool
6 <sup>th</sup> March 2017	Version 41	Updated form received	Westminster Pool Bordertown Pool
7 <sup>th</sup> March 2017		Updated form received	Keith Swimming Pool
15 <sup>th</sup> March 2017		Updated form received	Immanuel College Pool Port Lincoln Pool Port Pirie Pool Swimskool Mt Gambier Thebarton Aquatic
30 <sup>th</sup> March 2017		Updated form received	Unley Swimming Pool
7 <sup>th</sup> April 2017	Version 42	Updated form received	Noarlunga Leisure Centre StateSwim Seaford Sherriffs Road Swim Centre The Aquadome Clare Pool – The Valleys Lifestyle Centre
10 <sup>th</sup> April 2017		Updated form received	Adelaide Hills Woodside Army Barracks Mount Barker
		Notes Received	Port Augusta Waikerie
18 <sup>th</sup> April 2017	Version 42	Updated Form Received	Gawler Aquatic Centre
19 <sup>th</sup> April 2017		Updated Form Received	Fleurieu Aquatic Centre
26 <sup>th</sup> October 2017	Version 43	Updated Form Received	Salisbury Swimming Centre
31 <sup>st</sup> May 2018	Version 44	Added New Pool	The ARC (Campbelltown)
6 <sup>th</sup> June 2018		Updated Form Received	The ARC (Campbelltown)
18 <sup>th</sup> August 2018	Version 45	Full document Review	SAL Released Updated Policy Notification to clubs that each pool they use needs a new form to be submitted with 18/19 Affiliation
20 <sup>th</sup> August 2018		Diving Change Immediately	Adelaide Hills – Shallow End No Diving until pool remeasured
			Bordertown – Shallow End No Diving until pool remeasured
			Burra – Shallow End No Diving less than 1m

20 <sup>th</sup> August 2018	Version 45	Diving Change Immediately	Carrieton – Shallow End No Diving until pool remeasured
			Clare – Shallow End No Diving until pool is remeasured
			Eudunda – No Diving either end until pool is remeasured
			Fleurieu – No Diving shallow end in hydro pool until its remeasured & deep end program pool no diving less than 1 m
			Hawker – No Diving shallow end until pool is remeasured
			Immanuel – New blocks installed no diving until new form received
			Jamestown – Shallow End no diving until pool is remeasured
			Keith – Shallow End no diving until pool is remeasured
			Largs Bay – Shallow End no diving less than 1 metre. Deep end no diving until pool is remeasured.
			Lameroo – Shallow End no diving until pool is remeasured.
			Leigh Creek – No Diving until pool is remeasured
			Loxton – Shallow End no diving until pool is remeasured
			Magill – Shallow End no diving until pool is remeasured
			Marion – Shallow End no diving until pool is remeasured
			Mount Barker – Shallow End no diving until pool is remeasured
			Mount Gambier – Shallow End no diving until pool is remeasured
			Murray Bridge – Shallow End no diving from blocks until pool is remeasured
			Murrayville – Shallow End no diving less than 1 metre
			Noarlunga – 50m set up no diving shallow end less than 1 metre
			Norwood – No Diving from shallow end
			Nuriootpa – No diving until pool is remeasured
			Orroroo – Shallow End no diving until pool is remeasured
			Parafield – No diving shallow end less than 1 m & no diving deep end until pool is remeasured
Penola – No diving shallow end less than 1m			

20 <sup>th</sup> August 2018	Version 45	Diving Change Immediately	Pinnaroo – No diving deep or shallow end until pool is remeasured
			Port Augusta – No diving shallow end until pool is remeasured
			Port Lincoln – No diving shallow end until pool is remeasured
			Port Pirie – No diving shallow end until pool is remeasured
			Prince Alfred – New blocks No Diving until new form submitted
			Salisbury – Shallow End no diving until pool is remeasured
			Seaton – Shallow End no diving less than 1 m & deep end no diving until pool is remeasured
			Stateswim Clovercrest – No diving until pool is remeasured
			Stateswim Seaford – Shallow End no diving less than 1 metre
			Swan Reach – Shallow End no diving less than 1 metre & Deep End no diving until pool is remeasured
			The Aquadome – No diving shallow end until pool is remeasured
			Thebarton – No diving shallow end until pool is remeasured
			Westminster – No diving shallow end until pool is remeasured
			Woodside – No diving shallow end until pool is remeasured
1 <sup>st</sup> December 2018 – 1 <sup>st</sup> January 2019	Version 46	Updated Forms Received	From Most Venues – See Updated Pool List below

## Swimming Pool Update Dates

Name (Swimming Pool)	Date (Updated)	Name (Swimming Pool)	Date (Updated)
Adelaide Aquatic Centre	03/09/2018	Norwood Swim School	10/9/2018
Adelaide Hills Swimming Centre (Onkaparinga pool)	11/12/2018	Nuriootpa Pool (Barossa Valley)	NFR - ND
Balyana Pool - Closed	13/01/2006	Orroroo Pool	16/12/2018
Berri Pool (Hayden Stoeckel Swimming Pool)	16/10/2018	Parafield Garden Swimming Centre	NFR - ND
Broken Hill – 50m Pool	10/10/2018	Payneham Pool	16/10/2018
Broken Hill – 25m Pool	NFR – ND	Penola Pool	14/12/2018
Booleroo Centre Pool	11/10/2018	Pinnaroo Pool	NFR - ND
Bordertown Pool (Tatiara District Memorial Pool)	09/09/2018	Port Augusta Pool (Ryan Mitchell Swim Centre)	NFR - ND
Burnside Pool	01/10/2018	Port Lincoln Pool (West Coast)	27/08/2018
Burra Pool	NFR – ND	Port Pirie Swimming Pool	NFR - ND
Carrieton Pool	NFR - ND	Prince Alfred College (Kent Town Swim)	01/10/2018
Clare Pool	28/08/2018	Quorn Pool	18/12/2018
Cowell Pool	NFR - ND	Renmark Pool	11/09/2018
Crystal Brook Pool	10/09/2018	Rex Barossa Aquatic & Fitness (Tanunda)	05/10/2018
Eudunda Pool	NFR - ND	Roxby Downs Leisure Centre	19/12/2018
Fleurieu Aquatic Centre	27/08/2018	SA Aquatic & Leisure Centre	01/20/2018
Gawler Aquatic Centre	10/09/2018	Salisbury Pool	NFR - ND
Geranium Pool	NFR - ND	Seaton Swimming Centre	05/09/2018
Gladstone Pool	NFR - ND	Sheriffs Road Pool (Fleurieu)	NFR - ND
Hawker Pool	NFR - ND	Silver City Swim Centre	4/06/2015
Immanuel School Pool	24/08/2018	State Swim Clovercrest	18/09/2018
Jamestown Pool	NFR - ND	State Swim Seaford	NFR - ND
Keith Pool	17/12/2018	Strathalbyn Pool	NFR - ND
Largs Bay Swim Centre	05/09/2018	Swan Reach Area School Pool	NFR - ND
Lameroo Swimming Centre	NFR - ND	The ARC (Campbelltown)	18/12/2018
Leigh Creek Pool	NFR - ND	The Aquadome Pool (Playford Aquatic)	27/08/2018
Loxton Pool	06/09/2018	Thebarton Pool (Henley & Grange)	16/09/2018
Magill Pool (University Of South Australia)	NFR - ND	The Parks Sport and Recreation Centre	NFR - ND
Marion Outdoor Pool	19/12/2018	Trinity College Pool (STARplex)	03/09/2018
Mount Barker Pool (Mountain Pool)	22/09/2018	Unley Pool	09/11/2018
Mount Gambier Aquatic Centre	23/10/2018	Water World Pool (Tea Tree Gully)	03/10/2018
Mount Gambier (SwimSkool)	NFR - ND	Waikerie Pool	NFR - ND
Murray Bridge Pool	28/10/2018	Westminster School Pool	NFR - ND
Murrayville Pool	NFR - ND	Woodside Army Barracks	13/12/2018
Noarlunga Leisure Centre- 25 Segment/Pool	13/09/2018	Whyalla Pool	19/10/2018
Noarlunga Leisure Centre- 50 Segment/Pool	NFR - ND		

\*Note: Pool's with a NFR – ND Status must be immediately measured before next use by a SwimmingSA Club, district or state team.

### ADELAIDE AQUATIC CENTRE

Updated 03/09/2018

(Blocks at both ends)

- (a) Shallow end (**50m**) 1100mm deep: block height above water 680mm and concourse height above water 310mm (SAL Policy 2b applies diving to a maximum of 400mm) – **diving from concourse is ok. No diving from blocks.**
- (b) Shallow end (**25m**) 1500mm deep: Block height above water 680mm and concourse height above water 310mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**
- (c) Deep end 2000mm deep: Block height above water 695mm and concourse height above water 310mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**

### ADELAIDE HILLS SWIMMING CENTRE (ONKAPARINGA POOL)

Updated 11/12/2018

(Blocks at deep end only)

- (a) Shallow end 1050mm deep: concourse height above water 210mm – (SAL Policy 2b applies diving to a maximum of 400mm) – **diving from concourse is ok. Pool must be remeasured before each competition and before each day of a multi-day competition.**
- (b) Deep end 2000mm deep: Block height above water 630mm and concourse height above water 210mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

### BALYANA POOL

Updated 13/01/06

Pool Closed 2017

### BERRI POOL (HAYDEN STOECKEL SWIMMING POOL)

Updated 16/10/2018

(Blocks at both ends)

- (a) Shallow end 1100mm deep: Block height above water 540mm and concourse height above water 270mm (SAL Policy 2b applies diving to a maximum of 400mm) - **diving from concourse is OK. No diving from blocks.**
- (b) Deep end 3500mm deep: Block height above water 540mm and concourse height above water 270mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**



## BROKEN HILL

### **50m Pool**

**Updated 10/10/18**

#### **(Blocks at both ends)**

- (a) Shallow end 1200mm deep: Block height above water 700mm and concourse height above water 300mm (SAL Policy 2c applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**
- (b) Deep end 2050mm deep: Block height above water 700mm and concourse height above water 300mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**

### **25m Pool**

**Updated 21/05/2015**

#### **(Blocks at both ends)**

- (a) Shallow end: **No Diving Until pool remeasured**
- (b) Deep end: **No Diving Until pool remeasured**

## BOULEROO CENTRE POOL

**Updated 11/10/2018**

#### **(No Blocks at either end)**

- (a) Shallow end 1100mm deep: Concourse height above water 300mm (SAL Policy 2b applies diving to a maximum of 400mm) - **diving from concourse is OK**
- (b) Deep end 3500mm deep: Concourse height above water 300mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse is OK**

## BORDERTOWN POOL (TATIARA DISTRICT MEMORIAL POOL)

**Updated 09/09/18**

#### **(Blocks at deep end only)**

- (a) Shallow end 1100mm deep: No Blocks. Concourse height above water 210mm (SAL Policy 2b applies diving to a maximum of 400mm) – **diving from concourse is ok.**
- (b) Deep end 3600mm deep: Block height above water 500mm and concourse height above water 210mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

## BURNSIDE POOL (GEORGE BOLTON POOL)

**Updated 01/10/2018**

#### **(No blocks at either end)**

- (a) Shallow end 1100mm deep: No Blocks. Concourse height above water 300mm (SAL Policy 2b applies diving to a maximum of 400mm) - **diving from concourse is OK**
- (b) Deep end 1800mm deep: No Blocks. Concourse height above water 300mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse is OK**

### BURRA POOL

**Updated 21/02/17**

**(No blocks either end)**

- (a) Shallow end: **No Diving until pool is remeasured**
- (b) Deep end: **No Diving until pool is remeasured**

### CARRIETON POOL

**Updated 29/11/2016**

**(No blocks at either end)**

- (a) Shallow end: **No Diving until pool is remeasured**
- (b) Deep end: **No Diving until pool is remeasured**

### CLARE POOL

**Updated 28/8/18**

**(blocks at deep end only)**

- (a) Shallow end 1050mm deep: No Blocks. Concourse height above water 285mm (SAL Policy 2b applies diving to a maximum of 400mm) – **diving from concourse is ok. Pool must be remeasured before each competition and before each day of a multi-day competition.**
- (b) Deep end 1900mm deep: Block height above water 770mm and Concourse height 285mm (SAL Policy 2d applies diving to a maximum of 750mm) - **No Diving until pool is remeasured**

### COWELL POOL

**Updated 17/03/2015**

**(No blocks at either end)**

- (a) Shallow end: **No Diving until pool is remeasured**
- (b) Deep end: **No Diving until pool is remeasured**

### CRYSTAL BROOK POOL

**Updated 10/9/2018**

**(no blocks at either end)**

- (a) Shallow end 960mm deep: Concourse height above water 300mm (SAL Policy 2a applies less than 1 metre no diving) – **No Diving.**
- (b) Deep end 2600mm deep: Concourse height above water 300mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse is OK.**

### EUDUNDA POOL

Updated 05/01/06

(No blocks at either end)

- (a) Shallow end: **No Diving until pool is remeasured**
- (b) Deep end: **No Diving until pool is remeasured**

### FLEURIEU AQUATIC CENTRE

Updated 27/08/18

- (a) **25m Competition Pool (Blocks at deep end only):**

Shallow end 1150mm deep: concourse height above water is 450mm (SAL Policy 2b applies diving to a maximum of 400mm) – **No Diving.**

Deep end 1800mm deep: Block height above water is 620mm and concourse height above water is 450mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from block or concourse is OK**

- (b) **Hydro-Therapy Pool (No blocks):**

Shallow End 1050mm: concourse height above water is 0mm (SAL Policy 2b applies diving to a maximum of 400mm) – **diving from concourse is ok. Pool must be remeasured before each competition and before each day of a multi-day competition.**

Deep End 1500mm: concourse height above water is 0mm (SAL Policy 2d applies diving to a maximum of 750mm - **diving from concourse is OK**

- (c) **Program Pool (No Blocks)**

Shallow End 750mm: concourse height above water is 0mm (SA Policy 2a applies less than 1 metre no diving) – **No Diving**

Deep End 900mm: concourse height above water is 0mm (SAL Policy 2a applies less than 1 metre no diving) – **No Diving**

### GAWLER AQUATIC CENTRE

Updated 10/09/18

(Blocks at both ends)

- (a) Shallow end 1300mm deep: Block height above water 720mm and concourse height above water 280mm (SAL Policy 2c applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**
- (b) Deep end 3600mm deep: Block height above water 720mm and concourse height above water 280mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

GERANIUM POOL

**Updated 17/02/2015**

**(No blocks at either end)**

- (a) Shallow end: **No Diving until pool is remeasured**
- (b) Deep end: **No Diving until pool is remeasured**

GLADSTONE POOL

**Updated 01/11/2015**

**(no blocks at shallow end)**

- (a) Shallow end: **No Diving until pool is remeasured**
- (b) Deep end: **No Diving until pool is remeasured**

HAWKER POOL

**Updated 17/02/2015**

**(No blocks at either end)**

- (a) Shallow end: **No Diving until pool is remeasured**
- (b) Deep end: **No Diving until pool is remeasured**

IMMANUEL SCHOOL POOL

**Updated 24/08/18**

**(Blocks at deep end only)**

- (a) Shallow end 1260mm deep: No Blocks. Concourse height above water 240mm (SAL Policy 2c applies diving to a maximum of 750mm) – **diving from concourse is ok.**
- (b) Deep end 1705mm deep: Block height above water 660mm and concourse height above water 240mm (SAL Policy 2d applies diving to a maximum of 750mm) – **diving from blocks and concourse is ok.**

JAMESTOWN POOL

**Updated 19/09/2018**

**(No blocks at either end)**

- (a) Shallow end 1190mm deep: concourse height above water 230mm (SAL Policy 2b applies diving to a maximum of 400mm) – **diving from concourse is ok**
- (b) Deep end: **No Diving until pool is remeasured**

### KEITH POOL

**Updated 17/12/2018**

**(no blocks at either end)**

- (a) Shallow end 1000mm deep: Concourse height above water 200mm – (SAL Policy 2b applies diving to a maximum of 400mm) – **diving from concourse is ok. Pool must be remeasured before each competition and before each day of a multi-day competition.**
- (b) Deep end 3000mm deep: Concourse height above water 200mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse is OK.**

### LARGS BAY SWIM CENTRE

**Updated 05/09/2018**

**(no blocks at shallow end)**

- (a) Shallow end 870mm deep: Concourse height above water 230mm (SAL Policy 2a applies less than 1 metre no diving) – **NO Diving**
- (b) Deep end 1300mm deep: Block height above water 400mm and Concourse height above water 230mm (SAL Policy 2c applies diving to a maximum of 750mm) – **Diving from blocks or concourse is ok.**

### LAMEROO SWIMMING CENTRE

**Updated 01/01/19**

**(Blocks at deep end only)**

- (a) Shallow end 1000mm deep: Concourse height above water 270mm (SAL Policy 2b applies diving to maximum of 400mm) – **diving from concourse is ok. Pool must be remeasured before each competition and before each day of a multi-day competition.**
- (b) Deep end 1680mm deep: Block height above water 740mm and Concourse height above water 270mm (SAL Policy 2d applies diving to a maximum of 750mm) – diving from concourse or blocks is ok. **Pool must be remeasured before each competition and before each day of a multi-day competition.**

### LEIGH CREEK POOL

**Updated 11/03/08**

**(blocks at both ends - different heights)**

- (a) Shallow End: **No Diving until pool is remeasured**
- (b) Deep end: **No Diving until pool is remeasured**

### LOXTON POOL

**Updated 06/09/18**

**(Blocks at both ends - different heights)**

- (a) Shallow end 1080mm deep: Block height above water 530mm and concourse height above water 260mm (SAL Policy 2b applies diving to a maximum of 400mm) – **No diving from Blocks. Diving from concourse is ok. Pool must be remeasured before each competition and before each day of a multi-day competition.**
- (b) Deep end 1510mm deep: Block height above water 540mm and concourse height above water 260mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

**MAGILL POOL (UNIVERSITY OF SOUTH AUSTRALIA)**

**Updated 17/02/2015**

**(Blocks at deep end only)**

- (a) Shallow end: **No Diving until pool is remeasured**
- (b) Deep end: **No Diving until pool is remeasured**

**MARION OUTDOOR POOL**

**Updated 19/12/2018**

**(Blocks at deep end only)**

- (a) Shallow end 1020mm deep: concourse height above water 310mm – (SAL Policy 2b applies diving to a maximum of 400mm) – **diving from concourse is ok. Pool must be remeasured before each competition and before each day of a multi-day competition.**
- (b) Deep end 1980mm deep: Block height above water 650mm and concourse height above water 310mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

**MOUNT BARKER POOL (MOUNTAIN POOL)**

**Updated 22/09/2018**

**(Blocks at deep end only)**

- (a) Shallow end 1020mm deep: concourse height above water 130mm – **diving from concourse is ok. Pool must be remeasured before each competition and before each day of a multi-day competition.**
- (b) Deep end 2700mm deep: Block height above water 400mm and concourse height above water 130mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

**MOUNT GAMBIER AQUATIC CENTRE**

**Updated 23/10/18**

**(Blocks both ends)**

- (a) Shallow end 1020mm deep: No Blocks. Concourse height above water 0mm and block Height above water 390mm (SAL Policy 2b applies diving to a maximum of 400mm) – **diving from concourse is ok. Diving from blocks is ok. Pool must be remeasured before each competition and before each day of a multi-day competition.**
- (b) Deep end 1830mm deep: concourse height above water 0mm and block height above water 430mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

**MOUNT GAMBIER INDOOR POOL (SWIMSKOOL)**

**Updated 10/03/2017**

- (a) Shallow end 940mm deep: No Blocks and concourse height above water 240mm (SAL Policy 2a applies less than 1 metre no diving) – **NO DIVING UNTIL POOL REMEASURED**
- (b) Deep end 940mm deep: No Blocks and concourse height above water 240mm (SAL Policy 2a applies less than 1 metre no diving) – **NO DIVING UNTIL POOL REMEASURED**

#### MURRAY BRIDGE POOL

**Updated 28/10/18**

**(Blocks at both ends)**

- (a) **During Training** - Shallow end 1150mm deep: Block height above water 580mm and concourse height above water 250mm (SAL Policy 2b applies diving to a maximum of 400mm) - **diving from concourse is ok. NO DIVING FROM BLOCKS.**
- (b) **During Training** - Deep end 2940mm deep: Block height above water 580mm and concourse height above water 250mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**
- (a) **During Competition** - Shallow end 1250mm deep: Block height above water 590mm and concourse height above water 205mm (SAL Policy 2c applies diving to a maximum of 750mm) - **diving from blocks or concourse is ok.**
- (b) **During Competition** - Deep end 3000mm deep: Block height above water 580mm and concourse height above water 250mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

#### MURRAYVILLE POOL

**Updated 12/11/2015**

- (a) Shallow end: **No Diving until pool is remeasured**
- (b) Deep end: **No Diving until pool is remeasured**

#### NOARLUNGA LEISURE CENTRE – 25M SEGMENT/POOL

**Updated 13/09/2018**

- (a) Shallow end 2000mm deep: No Blocks and concourse height above water 195mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse is OK**
- (b) Deep end 2000mm deep: Block height above water 350mm and concourse height above water 195mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

#### NOARLUNGA LEISURE CENTRE – 50M SEGMENT/POOL

**Updated 04/04/2017**

- (a) Shallow End: **No Diving until pool is remeasured**
- (b) Deep end: **No Diving until pool is remeasured**

NORWOOD SWIM SCHOOL

**Updated 10/09/18**

**(Blocks at deep end only during competition)**

- (a) Shallow end 1100mm deep: concourse height above water 310mm (SAL Policy 2b applies diving to a maximum of 400mm) – **diving from concourse is ok**
- (b) Deep end 1260mm deep: Block height above water 510mm and concourse height above water 310mm (SAL Policy 2c applies diving to a maximum of 750mm) – **diving from blocks or concourse is ok**

NURIOOTPA POOL (BAROSSA VALLEY)

**Updated 19/03/08**

**(Blocks at deep end only)**

- (a) Shallow end: **No Diving until pool is remeasured**
- (b) Deep End: **No Diving until pool is remeasured**

ORROROO POOL

**Updated 16/12/2018**

**(No blocks at either end)**

- (a) Shallow end 950mm deep: concourse height above water 300mm – (SAL Policy 2a applies less than 1m no diving) – **NO DIVING**
- (b) Deep end 2050mm deep: concourse height above water 300mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse is OK**

PARAFIELD GARDENS SWIMMING CENTRE

**Updated 21/11/05**

**(Blocks at deep end only)**

- (a) Shallow End: **No Diving until pool is remeasured**
- (b) Deep End: **No Diving until pool is remeasured**



#### PAYNEHAM POOL

**Updated 16/10/18**

##### **(Blocks at deep end only)**

- (a) Shallow end 1150mm deep: No Blocks and Concourse height above water 340mm (SAL Policy 2b applies diving to a maximum of 400mm) - **diving from concourse is OK**
- (b) Deep end 1790mm deep: Block height above water 700mm and concourse height above water 340mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

#### PENOLA POOL

**Updated 14/12/2018**

##### **(No blocks at either end)**

- (a) Shallow end 920mm deep: concourse height above water 150mm (SAL Policy 2a applies less than 1 metre no diving) – **No Diving**
- (b) Deep end 2750mm deep: concourse height above water 300mm and concourse height above water 150mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse is OK**

#### PINNAROO POOL

**Updated 19/01/06**

##### **(No blocks at either end)**

- (a) Shallow End: **No Diving until pool is remeasured**
- (b) Deep End: **No Diving until pool is remeasured**

#### PORT AUGUSTA POOL (RYAN MITCHELL SWIM CENTRE)

**Updated 08/12/2014**

##### **(Blocks at deep end only)**

- (a) Shallow End: **No Diving until pool is remeasured**
- (b) Deep End: **No Diving until pool is remeasured**

#### PORT LINCOLN POOL (WEST COAST)

**Updated 27/08/18**

##### **(Blocks at deep end only)**

- (a) Shallow end 1080mm deep: No Blocks. Concourse height above water 0mm – **diving from concourse ok** **Pool must be remeasured before each competition and before each day of a multi-day competition.**
- (b) Deep end 1980mm deep: Block height above water 580mm and concourse height above water 0mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

PORT PIRIE SWIMMING POOL

**Updated 13/03/2017**

**(Blocks at both end)**

- (a) Shallow End: **No Diving until pool is remeasured**
- (b) Deep End: **No Diving until pool is remeasured**

PRINCE ALFRED COLLEGE (KENT TOWN SWIM)

**Updated 01/10/2018**

**(Blocks at deep end only)**

- (a) Shallow end 1150mm deep: No Blocks. Concourse height above water 300mm (SAL Policy 2b applies diving to a maximum of 400mm) - **diving from concourse is OK.**
- (b) Deep end 1250mm deep: Block height above water 655mm and concourse height above water 300mm (SAL Policy 2c applies diving to a maximum of 750mm) – **diving from blocks or concourse is ok.**

QUORN POOL

**Updated 18/12/2018**

**(Blocks at deep end only)**

- (a) Shallow end **1120mm or 1200mm** deep: concourse height above water 0mm (SAL Policy 2b applies diving to a maximum of 400mm) – **Diving from concourse is ok**
- (b) Deep end 3600mm deep: block height above water 640mm and concourse height above water 270mm (SAL Policy 2d applies diving to a maximum of 750mm) – **Diving from blocks or concourse is ok**

REMARK POOL

**Updated 11/09/2018**

**(Blocks at both ends)**

- (a) Shallow end 1050mm deep: Block height above water 400mm and concourse height above water 240mm – **diving from concourse is ok. Diving from blocks is ok. Pool must be remeasured before each competition and before each day of a multi-day competition.**
- (b) Deep end 2010mm deep: Block height above water 600mm and concourse height above water 250mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

**REX BAROSSA AQUATIC & FITNESS (TANUNDA)**

**Updated 05/10/2018**

**(Blocks at deep end only)**

- (a) Shallow end 1200mm deep: No Blocks. Concourse height above water 300mm (SAL Policy 2c applies diving to a maximum of 750mm) - **Diving from concourse is OK**
- (b) Deep end 1800mm deep: Block height above water 700mm and concourse height above water 300mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

**ROXBY DOWNS LEISURE CENTRE**

**Updated 19/12/2018**

**(blocks at deep end only)**

- (a) Shallow end 1000mm deep: Concourse height above water 240mm (SAL Policy 2b applies diving to a maximum of 400mm) - **diving from concourse is permitted. Pool must be remeasured before each competition and before each day of a multi-day competition.**
- (b) Deep end 2100mm deep: Block height above water 750mm and Concourse height above water 240mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**

**SA AQUATIC & LEISURE CENTRE**

**Updated 01/10/2018**

- (a) **Competition Pool (50m & 25m Configuration)** - Both Ends (Consistent Pool Depth) 3000mm deep: Block height above water 700mm and concourse/boom height above water 300mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse and blocks is OK**
- (b) **Dive/Water Polo Pool**  
25m Configuration (north-south): Consistent pool depth 3000mm deep: South End - Block height above water 700mm and concourse height above water 300mm. North End – No Blocks or concourse. Wet Deck used concourse height above water 0mm. (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse and blocks is OK**  
  
25m Configuration (east-west): Consistent pool depth 3000mm deep: Block height above water 700mm and concourse height above water 300mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse and blocks is OK**  
  
50m Configuration (east-west): West End - Pool Depth 3000mm deep: Block height above water 700mm and concourse height above water 0mm. East End – Pool Depth 5000mm deep: no blocks and concourse height above water 300mm. (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse or blocks is OK**

**SALISBURY SWIMMING CENTRE**

**Updated 26/10/2017**

**(Blocks at deep end only)**

- (a) Shallow End: **No Diving until pool is remeasured**
- (b) Deep End: **No Diving until pool is remeasured**

**SEATON SWIM CENTRE**

**Updated 05/09/2018**

**(no blocks)**

- (a) Shallow end 820mm deep: Concourse height above water 190mm (SAL Policy 2a applies less than 1 metre no diving) – **NO Diving**
- (b) Deep end 1150mm deep: Concourse height above water 190mm 240mm (SAL Policy 2b applies diving to a maximum of 400mm) – **Diving from concourse is ok**

**SHERRIFFS ROAD POOL (FLEURIEU)**

**Updated 31/03/2017**

**(blocks at deep end only)**

- (a) Shallow End: **No Diving until pool is remeasured**
- (b) Deep End: **No Diving until pool is remeasured**

**SILVER CITY SWIM CENTRE**

**Updated 22/08/2018**

**(blocks at both ends)**

- (a) Both ends same depth of 1350mm deep: Block height above water 420mm and Concourse height above water 125mm (SAL Policy 2d applies diving to maximum of 750mm) - **diving from blocks and concourse is OK.**

**STATE SWIM CLOVERCREST**

**Updated 18/09/2018**

**(Blocks at both ends)**

- (a) Shallow end 830mm deep: Concourse height above water 190mm (SAL Policy 2a applies less than 1 meter no diving) – **NO Diving**
- (b) Deep end 1280mm deep: Block height above water 470mm and concourse height above water 190mm (SAL Policy 2c applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

**STATE SWIM SEAFORD**

**Updated 31/03/2017**

- (a) Shallow End: **No Diving until pool is remeasured**
- (b) Deep End: **No Diving until pool is remeasured**

#### STRATHALBYN POOL

**Updated 19/12/2018**

##### **(Blocks at deep end only)**

- (a) Shallow End 1250mm deep: Block height above water 630mm and Concourse height above water 0mm (SAL Policy 2c applies diving to a maximum of 750mm) – **diving from blocks or concourse is Ok.**
- (b) Deep End 1800mm deep: Block height above water 630mm and Concourse height above water 0mm (SAL Policy 2d applies diving to a maximum of 750mm) – **diving from blocks or concourse is ok.**

#### SWAN REACH AREA SCHOOL POOL

**Updated 01/03/06**

##### **(No Blocks at either end)**

- (a) Shallow End: **No Diving until pool is remeasured**
- (b) Deep End: **No Diving until pool is remeasured**

#### THE ARC (CAMPBELLTOWN)

**Updated 18/12/2018**

##### **(No Blocks at shallow end)**

- (a) Shallow end 1100mm deep: Concourse height above water 420mm (SAL Policy 2b applies diving to a maximum of 400mm) – **NO Diving**
- (b) Deep end 1800mm deep: Block height above water 650mm and Concourse height above water 420mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**

#### THE AQUADOME POOL (PLAYFORD AQUATIC)

**Updated 27/08/18**

##### **(No blocks at shallow end)**

- (a) Shallow end 1090mm deep: Concourse height above water 190mm – **diving from concourse is ok. Pool must be remeasured before each competition and before each day of a multi-day competition.**
- (b) Deep end 1800mm deep: Block height above water 600mm and Concourse height above water 190mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**

#### THEBARTON POOL (HENLEY & GRANGE)

**Updated 16/09/18**

##### **(No blocks at shallow end)**

- (a) Shallow end 980mm deep: No Blocks and Concourse height above water 200mm (SAL Policy 2a applies no diving below 1000mm) – **no diving allowed**
- (b) Deep end 3050mm deep: Block height above water 610mm and Concourse height above water 220mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**

THE PARKS SPORTS AND RECREATION CENTRE POOL

**Updated 09/11/2016**

**(Blocks at deep end only)**

- (a) Shallow End: **No Diving until pool is remeasured**
- (b) Deep End: **No Diving until pool is remeasured**

TRINITY COLLEGE POOL (STARPLEX)

**Updated 03/09/2018**

**(blocks at deep end only)**

- (a) Shallow end 900mm deep: Concourse height above water 405mm (SAL Policy 2a applies less than 1 metre no diving) – **NO Diving Allowed**
- (b) Deep end 1800mm deep: Block height above water 620mm and concourse height above water 405mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**

UNLEY POOL

**Updated 09/11/2018**

**(Blocks at deep end only)**

- (a) Shallow end 1200mm deep: No Blocks. Concourse height above water 300mm (SAL Policy 2c applies diving to a maximum of 750mm) - **diving from concourse is OK**
- (b) Deep end 2000mm deep: Block height above water 680mm and concourse height 300mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

WATER WORLD POOL (TEA TREE GULLY)

**Updated 03/10/2018**

**(Blocks at deep end only)**

- (a) Shallow end 1100mm deep: No Blocks. Concourse height above water 200mm (SAL Policy 2b applies diving to a maximum of 400mm) - **diving from concourse is OK.**
- (b) Deep end 1800mm deep: Block height above water 510mm and Concourse height above water 200mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**

WAIKERIE POOL

**Updated 24/02/2015**

**(Blocks at deep end only)**

- (a) Shallow End: **No Diving until pool is remeasured**
- (b) Deep End: **No Diving until pool is remeasured**

WESTMINISTER SCHOOL POOL

**Updated 21/02/2017**

**(Blocks at deep end only)**

- (a) Shallow End: **No Diving until pool is remeasured**
- (b) Deep End: **No Diving until pool is remeasured**

## WOODSIDE ARMY BARRACKS

**Updated 13/12/2018**

### **(Blocks at deep end only)**

- (a) Shallow end 1000mm deep: concourse height above water 0mm (SAL Policy 2b applies diving to a maximum of 400mm) – **Diving from concourse is ok Pool must be remeasured before each competition and before each day of a multi-day competition.**
- (b) Deep end 3000mm deep: Block height above water 670mm and concourse height above water 0mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

## WHYALLA POOL

**Updated 19/10/2018**

### **(Blocks at deep end only)**

- (a) Shallow end 1020mm deep: No Blocks. Concourse height above water 110mm (SAL Policy 2b applies diving to a maximum of 400mm) - **diving from concourse is OK Pool must be remeasured before each competition and before each day of a multi-day competition.**
- (b) Deep end 1950mm deep: Block height above water 600mm and concourse height above water 110mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

## **OPEN WATER SWIMMING – REFEREES PLEASE NOTE**

Because of the variability of water depths and platform heights above the water due to tidal movements, and the potential uncertainties associated with underwater obstacles, it is not practical to attempt to measure water depth and platform heights for open water swim starts. Therefore, **ALL** open water swimming competitions that commence from a platform above the water surface shall require the swimmers to use a feet first entry or to start in the water.

End document

**APPENDIX 1 – SWIMMINGSA POOL DEPTH MEASUREMENT TEMPLATE**

