



# **South Australian Safe Water Entry Information**

**Version 53**

**Updated November 2023**

Document Control.....	3
Venue Index – Last Measured Dates.....	4
Adelaide Aquatic Centre (Norwood) .....	5
Adelaide Hills Swimming Centre (Onkaparinga) .....	6
Balaklava Swimming Pool.....	7
Hayden Stoeckel Swimming Pool (Berri).....	8
Broken Hill Regional Aquatic Centre .....	9
Booleroo Centre Memorial Swimming Pool.....	10
Tatiara District Memorial Pool (Bordertown) .....	11
George Bolton Swimming Centre (Burnside) .....	12
The Valleys Outdoor pool (Clare) .....	13
Crystal Brook Swimming Pool.....	14
Fleurieu Aquatic Centre (Great Southern) .....	15
Gawler Aquatic Centre .....	16
Gladstone Swimming Pool .....	17
Immanuel College.....	18
Jamestown Swimming Pool.....	19
Keith Swimming Pool.....	20
Largs Bay Swim Centre (Western Aquatic).....	21
Lameroo Swimming Centre (Mallee) .....	22
Loxton Swimming Pool .....	23
Marion Outdoor Pool .....	24
Mount Barker Mountain Pool .....	25
Wulanda Recreation and Convention Centre (MT Gambier - 50m).....	26
Wulanda Recreation and Convention Centre (MT Gambier - 25m).....	27
Murray Bridge Swimming Centre.....	28
Noarlunga Aquatic Centre – 25m (Southern Performance).....	29
Noarlunga Aquatic Centre – 50m (Southern Performance).....	29
Norwood Swim School .....	30
Nuriootpa War Memorial Swimming Pool (Barossa) .....	31
Orroroo Swimming Pool.....	32
Payneham Memorial Swimming Centre.....	33
Penola Swimming Pool .....	34
Pinnaroo Swimming Pool (Mallee).....	35
Ryan Mitchell Swim Centre (Port Augusta).....	36
Port Lincoln Leisure Centre (West Coast).....	37
Port Pirie Aquatic Leisure Centre .....	38
Prince Alfred College (Kent Town Swim).....	39
Quorn Swimming Pool.....	40
Renmark Swimming Centre.....	41
Alan Coulter Recreation Centre (Renmark).....	42
SA Aquatic & Leisure Centre .....	44
Salisbury Swimming Centre.....	45
Seaton Swim Centre (Norwood).....	46
Silver City Swim Centre .....	47
State Swim Clovercrest.....	48
State Swim Seaford (Southern Performance) .....	49
Strathalbyn Swimming Pool .....	50
The ARC Campbelltown (Tea Tree Gully) .....	51
The Aquadome Pool (Playford Aquatic) .....	52

Thebarton Aquatic Centre (Henley & Grange) .....	53
The Parks Recreation & Sports Centre .....	54
Trinity College Pool (Starplex) .....	55
Unley Swimming Centre .....	56
Water World Aquatic Centre (Ridgehaven) .....	57
Sports & Swimming Centre (Westminister School).....	58
Woodside Army Barracks (Onkaparinga) .....	59
Whyalla Recreation Centre .....	60
 Venues Not Currently Approved for use by Swimming Clubs.....	 61
 Closed Venues .....	 65
 Open Water venues.....	 65

## DOCUMENT CONTROL

2011 - 2023	Version 23-52		<i>See older versions for specifics of previous updates</i>
10 <sup>th</sup> November 2023	Version 53	New Measurements taken	Nuriootpa (Barossa Valley)
13 <sup>th</sup> November 2023		New Form Requested	Jamestown
14 <sup>th</sup> November 2023		New Form Requested	Gawler, Adelaide Hills, Berri
15 <sup>th</sup> November 2023		New Form Requested	Port Augusta, Murray Bridge, Keith, Renmark, Loxton, Penola, Quorn, Clare
16 <sup>th</sup> November 2023		New Pool Added	Balaklava, Largs Bay, Silver City, Mount Gambier
16 <sup>th</sup> November 2023		New Form Requested	Adelaide Aquatic, Broken Hill, Burnside, Crystal Brook, Fleurieu, Gawler, Gladstone, Immanuel, Jamestown, Marion, Mt Gambier, Mt Barker, Noarlunga, Norwood, Orroroo, Port Pirie, PAC, Rex, Seaton, Sheriffs Rd, Stateswim Clovercrest/Seaford, Strathalbyn, The ARC, The Aquadome, The Parks, STARplex, Waterworld, Woodside, Whyalla
17 <sup>th</sup> November 2023		New Form Received	Clare

## VENUE INDEX – LAST MEASURED DATES

Name (Swimming Pool)	Date	Name (Swimming Pool)	Date
Adelaide Aquatic Centre	03/09/2018	Noarlunga Leisure Centre- 50 Segment/Pool	NFR - ND
Adelaide Hills Swimming Centre (Onkaparinga pool)	11/12/2018	Norwood Swim School	10/9/2018
Balaklava Swimming Pool	16/11/2023	Nuriootpa Pool (Barossa Valley)	07/11/2023
Balyana Pool - <i>Closed</i>	NFR - ND	Orroroo Pool	16/12/2018
Berri Pool (Hayden Stoeckel Swimming Pool)	16/10/2018	Parafield Garden Swimming Centre	NFR - ND
Broken Hill – 50m Pool	10/10/2018	Payneham Pool – <i>Closed for Renovations</i>	NFR - ND
Broken Hill – 25m Pool	14/10/2020	Penola Pool	14/12/2018
Booleroo Centre Pool	07/11/2022	Pinnaroo Pool	06/11/2022
Bordertown Pool (Tatiara District Memorial Pool)	20/10/2022	Port Augusta Pool (Ryan Mitchell Swim Centre)	27/01/2019
Burnside Pool	01/10/2018	Port Lincoln Pool (West Coast)	15/11/2022
Burra Pool	NFR – ND	Port Pirie Swimming Pool	02/11/2020
Carrieton Pool	NFR - ND	Prince Alfred College (Kent Town Swim)	01/10/2018
Clare Pool	17/11/2023	Quorn Pool	18/12/2018
Cowell Pool	NFR - ND	Renmark Pool	10/11/2021
Crystal Brook Pool	10/09/2018	Rex Barossa Aquatic & Fitness (Tanunda)	05/10/2018
Eudunda Pool	NFR - ND	Roxby Downs Leisure Centre	NFR - ND
Fleurieu Aquatic Centre	17/10/2020	SA Aquatic & Leisure Centre	20/01/2018
Gawler Aquatic Centre	15/10/2020	Salisbury Pool - <i>Renovations</i>	NFR - ND
Geranium Pool	NFR - ND	Seaton Swimming Centre	05/09/2018
Gladstone Pool	27/01/2019	Sheriffs Road Pool	NFR - ND
Hawker Pool	NFR - ND	Silver City Swim Centre	16/11/2023
Immanuel School Pool	29/11/2022	State Swim Clovercrest	18/09/2018
Jamestown Pool	15/11/2022	State Swim Seaford	NFR - ND
Keith Pool	21/10/2022	Strathalbyn Pool	17/10/2020
Largs Bay Swim Centre	16/11/2023	St Peters College	NFR - ND
Lameroo Swimming Centre	06/02/2023	Swan Reach Area School Pool	NFR - ND
Leigh Creek Pool - <i>Closed</i>	NFR - ND	The ARC (Campbelltown)	18/12/2018
Loxton Pool	06/09/2018	The Aquadome Pool (Playford Aquatic)	27/08/2018
Magill Pool (UniSA) - <i>Closed</i>	NFR - ND	Thebarton Pool (Henley & Grange) - <i>Renovations</i>	NFR - ND
Marion Outdoor Pool	19/12/2018	The Parks Sport and Recreation Centre	14/10/2020
Mount Barker Pool (Mountain Pool)	22/09/2018	Trinity College Pool (STARplex)	02/11/2020
Mount Gambier Aquatic Centre (50m)	16/11/2023	Unley Pool	23/11/2022
Mount Gambier Aquatic Centre (25m)	16/11/2023	Water World Pool (Tea Tree Gully)	03/10/2018
Mount Gambier (SwimSkool)	NFR - ND	Waikerie Pool	NFR - ND
Murray Bridge Pool	09/01/2020	Westminster School Pool	NFR - ND
Murrayville Pool	NFR - ND	Woodside Army Barracks	13/12/2018
Noarlunga Leisure Centre- 25 Segment/Pool	13/09/2018	Whyalla Pool	19/10/2018

\*Note: Pool's with a NFR – ND Status must be immediately measured before next use by a SwimmingSA Club, district or state team.

## ADELAIDE AQUATIC CENTRE (NORWOOD)

**Updated 03/09/2018**

**(Blocks at both ends)**

- (a) Shallow end **(50m)** 1100mm deep: block height above water 680mm and concourse height above water 310mm (SAL Policy 2b applies diving to a maximum of 400mm) – **diving from concourse is ok. No diving from blocks.**
- (b) Shallow end **(25m)** 1500mm deep: Block height above water 680mm and concourse height above water 310mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**
- (c) Deep end 2000mm deep: Block height above water 695mm and concourse height above water 310mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**

## ADELAIDE HILLS SWIMMING CENTRE (ONKAPARINGA)

**Updated 11/12/2018**

**(Blocks at deep end only)**

- (a) Shallow end 1050mm deep: concourse height above water 210mm – (SAL Policy 2b applies diving to a maximum of 400mm) – **diving from concourse is ok. Pool must be remeasured before each competition and before each day of a multi-day competition.**
- (b) Deep end 2000mm deep: Block height above water 630mm and concourse height above water 210mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

# BALAKLAVA SWIMMING POOL

Updated 16/11/2023

Measured by: Consultant / Surveyor | National | State | District | Club



Lane	Lane Number	Length	Width
Outside Lane (left)	8	25m	2220mm
Outside Lane (right)	1	25m	2260mm
Middle Lane	4	25m	2150mm

## SHALLOW END



Block Type: N/A

NO BLOCKS AT SHALLOW END	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	1200mm	3	YES
	Water Depth @6m	1320mm		
	Water Depth @15m	1700mm		
	Concourse Height (Above water)	0mm		
	Block	Front	Back	Block Diving Allowed
	Height (above water)	N/A	N/A	NO
	Width	N/A		
	Depth	N/A		

## DEEP END

Block Type: SR Smith - Anti wave 650

Backstroke Ledge: N/A

	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	2000mm	4	YES
	Water Depth @6m	1900mm		
	Water Depth @15m	1570mm		
	Water Depth @12.5m	1630mm		
	Concourse Height (Above water)	320mm		
	Block	Front	Back / Kicker	Block Diving Allowed
	Height (above water)	720mm	820mm	YES
	Width	600mm		
	Depth	670mm		

## HAYDEN STOECKEL SWIMMING POOL (BERRI)

**Updated 16/10/2018**

**(Blocks at both ends)**

- (a) Shallow end 1100mm deep: Block height above water 540mm and concourse height above water 270mm (SAL Policy 2b applies diving to a maximum of 400mm) - **diving from concourse is OK. No diving from blocks.**
- (b) Deep end 3500mm deep: Block height above water 540mm and concourse height above water 270mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**



## BROKEN HILL REGIONAL AQUATIC CENTRE

### 50m Pool

**Updated 10/10/18**

**(Blocks at both ends)**

- (a) Shallow end 1200mm deep: Block height above water 700mm and concourse height above water 300mm (SAL Policy 2c applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**
- (b) Deep end 2050mm deep: Block height above water 700mm and concourse height above water 300mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**

### 25m Pool

**Updated 21/05/2015**

**(Blocks at both ends)**

- (a) Shallow end: **No Diving Until pool remeasured**
- (b) Deep end: **No Diving Until pool remeasured**

# BOOLEROO CENTRE MEMORIAL SWIMMING POOL

Updated 07/11/2022

Measured by: Consultant / Surveyor | National | State | District | **Club**



Lane	Lane Number	Length	Width
Outside Lane (left)	1	25m	1800mm
Outside Lane (right)	6	25m	1800mm
Middle Lane	3	25m	1800mm

## SHALLOW END

Block Type: N/A

NO BLOCKS	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	1100mm	2	YES
	Water Depth @6m	1100mm		
	Water Depth @15m	1100mm		
	Concourse Height (Above water)	300mm		
	Block	Front	Back	Block Diving Allowed
	Height (above water)	N/A	N/A	NO
	Width	N/A		
	Depth	N/A		

## DEEP END

Block Type: N/A


Backstroke Ledge: N/A

NO BLOCKS	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	3500mm	4	YES
	Water Depth @6m	3500mm		
	Water Depth @15m	3500mm		
	Water Depth @12.5m	1450mm		
	Concourse Height (Above water)	300mm		
	Block	Front	Back / Kicker	Block Diving Allowed
	Height (above water)	N/A	N/A	NO
	Width	N/A		
Depth	N/A			

# TATIARA DISTRICT MEMORIAL POOL (BORDERTOWN)

Updated 20/10/2022

Measured by: Consultant / Surveyor | National | State | District | Club



Lane	Lane Number	Length	Width
Outside Lane (left)	1	50m	2.5m
Outside Lane (right)	6	50m	2.5m
Middle Lane	3	50m	2.5m

## SHALLOW END


Block Type: N/A

NO BLOCKS	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	1080mm	2	YES
	Water Depth @6m	1150mm		
	Water Depth @15m	1245mm		
	Concourse Height (Above water)	180mm		
	Block	Front	Back	Block Diving Allowed
	Height (above water)	N/A	N/A	NO
	Width	N/A		
	Depth	N/A		

## DEEP END

Block Type: Cement

Backstroke Ledge: N/A

	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	2000mm	4	YES
	Water Depth @6m	1940mm		
	Water Depth @15m	1650mm		
	Water Depth @25m	1360mm		
	Concourse Height (Above water)	180mm		
	Block	Front	Back / Kicker	Block Diving Allowed
	Height (above water)	640mm	650mm	YES
	Width	500mm		
Depth	660mm			

## GEORGE BOLTON SWIMMING CENTRE (BURNSIDE)

**Updated 01/10/2018**

**(No blocks at either end)**

- (a) Shallow end 1100mm deep: No Blocks. Concourse height above water 300mm (SAL Policy 2b applies diving to a maximum of 400mm) - **diving from concourse is OK**
- (b) Deep end 1800mm deep: No Blocks. Concourse height above water 300mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse is OK**

# THE VALLEYS OUTDOOR POOL (CLARE)

Updated 17/11/2023

Measured by: Consultant / Surveyor | National | State | District | **Club**



Lane	Lane Number	Length	Width
Outside Lane (left)	8	25m	2.5m
Outside Lane (right)	1	25m	2.5m
Middle Lane	4	25m	2.5m

## SHALLOW END


Block Type: N/A

NO BLOCKS	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	965mm	1	NO
	Water Depth @6m	1050mm		
	Water Depth @15m	1065mm		
	Concourse Height (Above water)	300mm		
	Block	Front	Back	Block Diving Allowed
	Height (above water)	N/A	N/A	NO
	Width	N/A		
	Depth	N/A		

## DEEP END

Block Type: AQUEAS AQ-SP01

Backstroke Ledge: N/A

	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	1930mm	4	YES
	Water Depth @6m	1880mm		
	Water Depth @15m	1500mm		
	Water Depth @12.5m	1500mm		
	Concourse Height (Above water)	300mm		
	Block	Front	Back / Kicker	Block Diving Allowed
	Height (above water)	750mm	820mm	YES
	Width	495mm		
	Depth	500mm		

## CRYSTAL BROOK SWIMMING POOL

**Updated 10/9/2018**

(no blocks at either end)

- (a) Shallow end 960mm deep: Concourse height above water 300mm (SAL Policy 2a applies less than 1 metre no diving) – **No Diving.**
- (b) Deep end 2600mm deep: Concourse height above water 300mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse is OK.**

## FLEURIEU AQUATIC CENTRE (GREAT SOUTHERN)

**Updated 17/10/2020**

**(a) 25m Competition Pool (Blocks at deep end only):**

Shallow end 1150mm deep: concourse height above water is 0mm (SAL Policy 2b applies diving to a maximum of 400mm) – **diving from concourse is ok**

Deep end 1800mm deep: Block height above water is 620mm and concourse height above water is 450mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from block or concourse is OK**

**(b) Hydro-Therapy Pool (No blocks):**

Shallow End 1050mm: concourse height above water is 0mm (SAL Policy 2b applies diving to a maximum of 400mm) – **diving from concourse is ok. Pool must be remeasured before each competition and before each day of a multi-day competition.**

Deep End 1500mm: concourse height above water is 0mm (SAL Policy 2d applies diving to a maximum of 750mm - **diving from concourse is OK**

**(c) Program Pool (No Blocks)**

Shallow End 750mm: concourse height above water is 0mm (SA Policy 2a applies less than 1 metre no diving) – **No Diving**

Deep End 900mm: concourse height above water is 0mm (SAL Policy 2a applies less than 1 metre no diving) – **No Diving**



## GAWLER AQUATIC CENTRE

**Updated 15/10/2020**

**(Blocks at deep end only)**

- (a) Shallow end 1300mm deep: concourse height above water 270mm (SAL Policy 2c applies diving to a maximum of 750mm) - **diving from concourse is OK**
- (b) Deep end 3700mm deep: Block height above water 720mm and concourse height above water 270mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**



## GLADSTONE SWIMMING POOL

**Updated 27/01/2019**

**(no blocks at shallow end)**

- (a) Shallow end 910mm: concourse height above water is 140mm (SA Policy 2a applies less than 1 metre no diving) – **No Diving**
- (b) Deep end 2800mm deep Block height above water 450mm and concourse height above water 140mm (SAL Policy 2d applies diving to a maximum of 750mm) – **diving from blocks and concourse is ok.**

# IMMANUEL COLLEGE

Updated 15/11/2022

Measured by: Consultant / Surveyor | National | State | District | Club



Lane	Lane Number	Length	Width
Outside Lane (left)	10	25m	2.44m
Outside Lane (right)	1	25m	2.44m
Middle Lane	5	25m	2.24m

## SHALLOW END



Block Type: No Blocks

NO BLOCKS	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	1260mm	3	YES
	Water Depth @6m	1430mm		
	Water Depth @15m	1800mm		
	Concourse Height (Above water)	0mm		
	Block	Front	Back	Block Diving Allowed
	Height (above water)	N/A	N/A	NO
	Width	N/A		
	Depth	N/A		

## DEEP END

Block Type: Starting Platform AQUEAS - AQ-SP06

Backstroke Ledge: N/A

	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	1705mm	4	YES
	Water Depth @6m	1840mm		
	Water Depth @15m	1610mm		
	Water Depth @12.5m	1800mm		
	Concourse Height (Above water)	0mm		
	Block	Front	Back / Kicker	Block Diving Allowed
	Height (above water)	660mm	800mm	YES
	Width	515mm		
	Depth	740mm		

# JAMESTOWN SWIMMING POOL

Updated 15/11/2022

Measured by: Consultant / Surveyor | National | State | District | Club

Lane	Lane Number	Length	Width
Outside Lane (left)	5	25m	0
Outside Lane (right)	1	25m	0
Middle Lane	3	25m	0

## SHALLOW END


Block Type: Proposed Aqueas SPO3-C

NO BLOCKS AT SHALLOW END	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	1200mm		YES
	Water Depth @6m	1500mm		
	Water Depth @15m	2200mm		
	Concourse Height (Above water)	230mm		
	Block	Front	Back	Block Diving Allowed
	Height (above water)	N/A	N/A	NO
	Width	N/A		
	Depth	N/A		

## DEEP END

Block Type: Aqueas SPO3-C

Backstroke Ledge: N/A

	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	2400mm	4	YES
	Water Depth @6m	2300mm		
	Water Depth @15m	1800mm		
	Water Depth @25m	1990mm		
	Concourse Height (Above water)	230mm		
	Block	Front	Back / Kicker	Block Diving Allowed
	Height (above water)	640mm	720mm	YES
	Width	450mm		
Depth	450mm			

# KEITH SWIMMING POOL

Updated 21/10/2022

Measured by: Consultant / Surveyor | National | State | District | Club | Council

Lane	Lane Number	Length	Width
Outside Lane (left)	5	25m	2.3m
Outside Lane (right)	1	25m	2.3m
Middle Lane	3	25m	2.15m

## SHALLOW END

Block Type: No Blocks

NO BLOCKS	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	950mm	1	NO
	Water Depth @6m	1075mm		
	Water Depth @15m	1375mm		
	Concourse Height (Above water)			
	Block	Front	Back	Block Diving Allowed
	Height (above water)	N/A	N/A	NO
	Width	N/A		
	Depth	N/A		

## DEEP END

Block Type: No Blocks

	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	2200mm	4	YES
	Water Depth @6m	2200mm		
	Water Depth @15m	1375mm		
	Water Depth @12.5m	3000mm		
	Concourse Height (Above water)	185mm		
	Block	Front	Back / Kicker	Block Diving Allowed
	Height (above water)	N/A	N/A	NO
	Width	N/A		
	Depth	N/A		

# LARGS BAY SWIM CENTRE (WESTERN AQUATIC)

Updated 16/11/2023

**Measured by:** Consultant / Surveyor | National | State | District | **Club**

Lane	Lane Number	Length	Width
Outside Lane (left)	1	25m	2000mm
Outside Lane (right)	6	25m	2008mm
Middle Lane	3	25m	2008mm

## SHALLOW END

Block Type: N/A

NO BLOCKS AT SHALLOW END	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	800mm	1	NO
	Water Depth @6m	1000mm		
	Water Depth @15m			
	Concourse Height (Above water)	250mm		
	Block	Front	Back	Block Diving Allowed
	Height (above water)	N/A	N/A	NO
	Width	N/A		
	Depth	N/A		

## DEEP END

Block Type: Cement

Backstroke Ledge: N/A

	<b>Pool</b>	<b>Measure</b>	<b>SAL Policy</b>	<b>Concourse Diving Allowed</b>
	Water Depth @1m	1250mm	<b>3</b>	<b>YES</b>
	Water Depth @6m	1130mm		
	Water Depth @15m	1000mm		
	Water Depth @12.5m	1000mm		
	Concourse Height (Above water)	250mm		
	<b>Block</b>	<b>Front</b>	<b>Back / Kicker</b>	<b>Block Diving Allowed</b>
	Height (above water)	420mm	420mm	<b>YES</b>
	Width	440mm		
	Depth	480mm		

## LAMEROO SWIMMING CENTRE (MALLEE)


Updated 06/02/2023

**Measured by:** Consultant / Surveyor | National | State | District | **Club**

Lane	Lane Number	Length	Width
Outside Lane (left)	6	25.02m	2000m
Outside Lane (right)	1	25.04m	2435m
Middle Lane	4	25.03m	2000m

### SHALLOW END


Block Type: N/A

	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	900mm	1	NO
	Water Depth @6m	1120mm		
	Water Depth @15m	1395mm		
	Concourse Height (Above water)	225mm		
	Block	Front	Back	Block Diving Allowed
	Height (above water)	N/A	N/A	NO
	Width	N/A		
Depth	N/A			

### DEEP END

Block Type: Anti Wave 650 Launch with Quick Release Anchor    Model /Item # 25-61-065R

Backstroke Ledge: N/A


	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	1695mm	4	YES
	Water Depth @6m	1535mm		
	Water Depth @15m	1230mm		
	Water Depth @25m	1305mm		
	Concourse Height (Above water)	235mm		
Block	Front	Back / Kicker	Block Diving Allowed	
Height (above water)	640mm	720mm /	YES	
Width	575mm			
Depth	660mm			

## LOXTON SWIMMING POOL

**Updated 06/09/18**

**(Blocks at both ends - different heights)**

- (a) Shallow end 1080mm deep: Block height above water 530mm and concourse height above water 260mm (SAL Policy 2b applies diving to a maximum of 400mm) – **No diving from Blocks. Diving from concourse is ok. Pool must be remeasured before each competition and before each day of a multi-day competition.**
- (b) Deep end 1510mm deep: Block height above water 540mm and concourse height above water 260mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**



## MARION OUTDOOR POOL

**Updated 19/12/2018**

**(Blocks at deep end only)**

- (a) Shallow end 1020mm deep: concourse height above water 310mm – (SAL Policy 2b applies diving to a maximum of 400mm) – **diving from concourse is ok. Pool must be remeasured before each competition and before each day of a multi-day competition.**
- (b) Deep end 1980mm deep: Block height above water 650mm and concourse height above water 310mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**



## MOUNT BARKER MOUNTAIN POOL

**Updated 22/09/2018**

**(Blocks at deep end only)**

- (a) Shallow end 1020mm deep: concourse height above water 130mm – **diving from concourse is ok. Pool must be remeasured before each competition and before each day of a multi-day competition.**
- (b) Deep end 2700mm deep: Block height above water 400mm and concourse height above water 130mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

# WULANDA RECREATION AND CONVENTION CENTRE (MT GAMBIER - 50M)

Updated 16/11/2023

Measured by: Consultant / Surveyor | National | State | District | Club

Lane	Surface	500mm Below	Width
Lane 1	50.022m	50.031m	2.145m
Lane 2	50.020m	50.031m	2.145m
Lane 3	50.024m	50.032m	2.145m
Lane 4	50.023m	50.032m	2.145m
Lane 5	50.025m	50.036m	2.145m
Lane 6	50.027m	50.034m	2.145m
Lane 7	50.026m	50.034m	2.145m
Lane 8	50.024m	50.035m	2.145m


## SHALLOW END

Block Type: OMEGA OSB11

Backstroke Ledge: N/A

Touchpads: OMEGA Touchpads set FINA 240X90

Timing System: OMEGA QUANTUM Primary

	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	1.4m	4	YES
	Water Depth @6m	1.5m		
	Water Depth @15m	1.66m		
	Concourse Height (Above water)			
	Block	Front	Back	Block Diving Allowed
	Height (above water)			YES
	Width			
	Depth			


## DEEP END

Block Type: OMEGA OSB11

Backstroke Ledge: N/A

Touchpads: OMEGA Touchpads set FINA 240X90

Timing System: OMEGA QUANTUM Primary

	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	2.16m	4	YES
	Water Depth @6m			
	Water Depth @15m	2.14m		
	Water Depth @25m	1.9m		
	Concourse Height (Above water)			
	Block	Front	Back / Kicker	Block Diving Allowed
	Height (above water)			YES
	Width			
	Depth			

# WULANDA RECREATION AND CONVENTION CENTRE (MT GAMBIER - 25M)

Updated 16/11/2023

Measured by: Consultant / Surveyor | National | State | District | Club

Lane	Surface	500mm Below	Width
Lane 1	25.028m	25.025m	2.31m
Lane 2	25.031m	25.028m	2.31m
Lane 3	25.030m	25.023m	2.31m
Lane 4	25.031m	25.026m	2.31m
Lane 5	25.027m	25.023m	2.31m
Lane 6	25.033m	25.028m	2.31m
Lane 7	25.034m	25.023m	2.31m
Lane 8	25.033m	25.026m	2.31m


## SHALLOW END

Block Type: OMEGA OSB11

Backstroke Ledge: N/A

Touchpads: OMEGA Touchpads set FINA 240X90

Timing System: OMEGA QUANTUM Primary

	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m		4	YES
	Water Depth @6m			
	Water Depth @15m			
	Concourse Height (Above water)			
	Block	Front	Back	Block Diving Allowed
	Height (above water)			YES
	Width			
	Depth			


## DEEP END

Block Type: OMEGA OSB11

Backstroke Ledge: N/A

Touchpads: OMEGA Touchpads set FINA 240X90

Timing System: OMEGA QUANTUM Primary

	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m		4	YES
	Water Depth @6m			
	Water Depth @15m			
	Water Depth @25m			
	Concourse Height (Above water)			
	Block	Front	Back / Kicker	Block Diving Allowed
	Height (above water)			YES
	Width			
	Depth			

## MURRAY BRIDGE SWIMMING CENTRE

**Updated 28/10/18**

**(Blocks at both ends)**

- (a) **During Training** - Shallow end 1150mm deep: Block height above water 580mm and concourse height above water 250mm (SAL Policy 2b applies diving to a maximum of 400mm) - **diving from concourse is ok. NO DIVING FROM BLOCKS.**
- (b) **During Training** - Deep end 2940mm deep: Block height above water 580mm and concourse height above water 250mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**
- (a) **During Competition** - Shallow end 1250mm deep: Block height above water 590mm and concourse height above water 205mm (SAL Policy 2c applies diving to a maximum of 750mm) - **diving from blocks or concourse is ok.**
- (b) **During Competition** - Deep end 3000mm deep: Block height above water 580mm and concourse height above water 250mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**



## NOARLUNGA AQUATIC CENTRE – 25M (SOUTHERN PERFORMANCE)

**Updated 13/09/2018**

- (a) Shallow end 2000mm deep: No Blocks and concourse height above water 195mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse is OK**
- (b) Deep end 2000mm deep: Block height above water 350mm and concourse height above water 195mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

## NOARLUNGA AQUATIC CENTRE – 50M (SOUTHERN PERFORMANCE)

**Updated 04/04/2017**

- (a) Shallow End: **No Diving until pool is remeasured**
- (b) Deep end: **No Diving until pool is remeasured**

## NORWOOD SWIM SCHOOL

**Updated 10/09/18**

**(Blocks at deep end only during competition)**

- (a) Shallow end 1100mm deep: concourse height above water 310mm (SAL Policy 2b applies diving to a maximum of 400mm) – **diving from concourse is ok**
- (b) Deep end 1260mm deep: Block height above water 510mm and concourse height above water 310mm (SAL Policy 2c applies diving to a maximum of 750mm) – **diving from blocks or concourse is ok**

## NURIOOTPA WAR MEMORIAL SWIMMING POOL (BAROSSA)


Updated 07/11/2023

Measured by: Consultant / Surveyor | National | State | District | Club

Lane	Lane Number	Length	Width
Outside Lane (left)	6	50m	1700mm
Outside Lane (right)	1	50m	1650mm
Middle Lane	3/4	50m	1880mm

### SHALLOW END

Block Type: No Blocks

	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	1000m	2a	NO
	Water Depth @6m	1000m		
	Water Depth @15m			
	Concourse Height (Above water)	Old measure 240mm		
	Block	Front	Back	Block Diving Allowed
	Height (above water)	N/A	N/A	NO
	Width	N/A		
	Depth	N/A		



### Actions Required:

1. Measure depth at 15m and remeasure at 1m from wall at shallow end
2. No diving until remeasured
3. Prior to use coaches & officials must familiarise themselves and swimmers of the surroundings using the Swimming Australia Competitive Dive Entry Preparation Checklist.

### DEEP END

Block Type: Anti Wave 650 Launch with Quick Release Anchor-Model /Item # 25-61-065R (0823/392)

Backstroke Ledge: N/A

	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	2000mm	2d	YES
	Water Depth @6m	1900mm		
	Water Depth @15m	1700mm		
	Water Depth @25m	1500mm		
	Concourse Height (Above water)	Remeasure 200mm		
Block	Front	Back / Kicker	Block Diving Allowed	
Height (above water)	600mm	630mm	YES	
Width	570mm			
Depth	740mm			

## ORROROO SWIMMING POOL

**Updated 16/12/2018**

**(No blocks at either end)**

- (a) Shallow end 950mm deep: concourse height above water 300mm – (SAL Policy 2a applies less than 1m no diving) – **NO DIVING**
- (b) Deep end 2050mm deep: concourse height above water 300mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse is OK**



## PAYNEHAM MEMORIAL SWIMMING CENTRE

**Closed for Renovations**

Last Measured: 16/10/18 – Blocks at Deep End Only

No Diving permitted without updated pool specification form being submitted.

### Previous Measurements

Shallow end 1150mm deep: No Blocks and Concourse height above water 340mm

Deep end 1790mm deep: Block height above water 700mm and concourse height above water 340mm

## PENOLA SWIMMING POOL

**Updated 14/12/2018**

**(No blocks at either end)**

- (a) Shallow end 920mm deep: concourse height above water 150mm (SAL Policy 2a applies less than 1 metre no diving) – **No Diving**
- (b) Deep end 2750mm deep: concourse height above water 300mm and concourse height above water 150mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse is OK**

## PINNAROO SWIMMING POOL (MALLEE)

**Updated 06/11/2022**

**Measured by:** Consultant / Surveyor | National | State | District | **Club**



Lane	Lane Number	Length	Width
Outside Lane (left)	6	25.03m	1.89m
Outside Lane (right)	1	25.03m	1.95m
Middle Lane	3	25.03m	1.82m

### SHALLOW END

Block Type: N/A

NO BLOCKS	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	1130mm	2	YES
	Water Depth @6m	1320mm		
	Water Depth @15m	2140mm		
	Concourse Height (Above water)	100mm		

### DEEP END

Block Type: N/A

NO BLOCKS	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	2970mm	4	YES
	Water Depth @6m	2940mm		
	Water Depth @15m	1500mm		
	Water Depth @12.5m	1840mm		
	Concourse Height (Above water)	100mm		

## RYAN MITCHELL SWIM CENTRE (PORT AUGUSTA)

**Updated 27/01/2019**

**(Blocks at deep end only)**

- (a) Shallow End 1110mm deep: Block height above water 200mm and Concourse height above water 0mm (SAL Policy 2b applies diving to a maximum of 400mm) - **diving from concourse is OK**
- (b) Deep End 1970mm deep: Block height above water 640mm and Concourse height above water 0mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

## PORT LINCOLN LEISURE CENTRE (WEST COAST)

Updated 18/02/2023

**Measured by:** Consultant / Surveyor | National | State | District | **Club**

Lane	Lane Number	Length	Width
Outside Lane (left)	6	25m	2.2m
Outside Lane (right)	1	25m	2.2m
Middle Lane	3	25m	2.2m

### SHALLOW END


Block Type: No Blocks

NO Blocks	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	1100mm	2	YES
	Water Depth @6m	1350mm		
	Water Depth @15m	1760mm		
	Concourse Height (Above water)	Wet deck		
	Block	Front	Back	Block Diving Allowed
	Height (above water)	N/A	N/A	NO
	Width	N/A		
	Depth	N/A		

### DEEP END

Block Type: Anti Wave 400

Backstroke Ledge: No Ledge

	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	1970mm	4	YES
	Water Depth @6m	1900mm		
	Water Depth @15m	1520mm		
	Water Depth @12.5m	1650mm		
	Concourse Height (Above water)	Wet Deck		
	Block	Front	Back / Kicker	Block Diving Allowed
	Height (above water)	580mm	690mm	YES
	Width	590mm		
Depth	600mm			

## PORT PIRIE AQUATIC LEISURE CENTRE

**Updated 08/01/2019**

**(Blocks at both end)**

- (a) Shallow End 1250mm deep: Block height above water 730mm and concourse height above water 290mm (SAL Policy 2c applies diving to a maximum of 750mm) – **diving from blocks or concourse is ok**
- (b) Deep End 2090mm deep: Block height above water 740mm and concourse height above water 290mm 9SAL Policy 2d applies diving to a maximum of 750mm) – **diving from blocks or concourse is ok.**

## PRINCE ALFRED COLLEGE (KENT TOWN SWIM)

**Updated 01/10/2018**

**(Blocks at deep end only)**

- (a) Shallow end 1150mm deep: No Blocks. Concourse height above water 300mm (SAL Policy 2b applies diving to a maximum of 400mm) - **diving from concourse is OK.**
- (b) Deep end 1250mm deep: Block height above water 655mm and concourse height above water 300mm (SAL Policy 2c applies diving to a maximum of 750mm) – **diving from blocks or concourse is ok.**

## QUORN SWIMMING POOL

**Updated 18/12/2018**

**(Blocks at deep end only)**

- (a) Shallow end **1120mm or 1200mm** deep: concourse height above water 0mm (SAL Policy 2b applies diving to a maximum of 400mm) – **Diving from concourse is ok**
- (b) Deep end 3600mm deep: block height above water 640mm and concourse height above water 270mm (SAL Policy 2d applies diving to a maximum of 750mm) – **Diving from blocks or concourse is ok**



## REMARK SWIMMING CENTRE

Updated 10/11/2021


Measured by: Consultant / Surveyor | National | State



Lane	Lane Number	Length	Width
Outside Lane (left)	1	50.02m	2.49m
Outside Lane (right)	8	50m	2.49m
Middle Lane	4	-	2.50m

### SHALLOW END

Block Type: Anti

	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	1080mm	2b	YES
	Water Depth @6m			
	Water Depth @15m	1440mm		
	Concourse Height (Above water)	150mm		
	Block	Front	Back	Block Diving Allowed
	Height (above water)	350mm	370mm	NO
	Width	480mm		
	Depth	500mm		



### Actions Required:

- Prior to use coaches & officials must familiarise themselves and swimmers of the surroundings using the Swimming Australia Competitive Dive Entry Preparation Checklist.
- During use the water level must be maintained at more than 1m to enable diving to occur from the concourse. To ensure compliance and safety water depth must be remeasured before each competition and before each day of a multi-day competition.

### DEEP END


Block Type: Anti Wave 650 Launch with Quick Release Anchor Model /Item # 25-61-065R

Backstroke Ledge: PLawe350 - Anti Backstroke Ledge

Pool	Measure	SAL Policy	Concourse Diving Allowed
Water Depth @1m	1950mm	2d	YES
Water Depth @6m			
Water Depth @15m	1900mm		
Water Depth @25m			
Concourse Height (Above water)	200mm		
Block	Front	Back / Kicker	Block Diving Allowed
Height (above water)	600mm	650 / 680mm	YES
Width	690mm		
Depth	620mm		

## ALAN COULTER RECREATION CENTRE (RENMARK)



**Updated 05/10/2018**

**(Blocks at deep end only)**

- (a) Shallow end 1200mm deep: No Blocks. Concourse height above water 300mm (SAL Policy 2c applies diving to a maximum of 750mm) - **Diving from concourse is OK**
- (b) Deep end 1800mm deep: Block height above water 700mm and concourse height above water 300mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

## SA AQUATIC & LEISURE CENTRE

Updated 01/10/2018

(a) **Competition Pool (50m & 25m Configuration)** - Both Ends (Consistent Pool Depth) 3000mm deep: Block height above water 700mm and concourse/boom height above water 300mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse and blocks is OK**

(b) **Dive/Water Polo Pool**

25m Configuration (north-south): Consistent pool depth 3000mm deep: South End - Block height above water 700mm and concourse height above water 300mm. North End – No Blocks or concourse. Wet Deck used concourse height above water 0mm. (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse and blocks is OK**

25m Configuration (east-west): Consistent pool depth 3000mm deep: Block height above water 700mm and concourse height above water 300mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse and blocks is OK**

50m Configuration (east-west): West End - Pool Depth 3000mm deep: Block height above water 700mm and concourse height above water 0mm. East End – Pool Depth 5000mm deep: no blocks and concourse height above water 300mm. (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse or blocks is OK**

## SALISBURY SWIMMING CENTRE

**Updated 26/10/2017**

**(Blocks at deep end only)**

- (a) Shallow End: **No Diving until pool is remeasured**
- (b) Deep End: **No Diving until pool is remeasured**

## SEATON SWIM CENTRE (NORWOOD)

**Updated 05/09/2018**

**(no blocks)**

- (a) Shallow end 820mm deep: Concourse height above water 190mm (SAL Policy 2a applies less than 1 metre no diving) – **NO Diving**
- (b) Deep end 1150mm deep: Concourse height above water 190mm 240mm (SAL Policy 2b applies diving to a maximum of 400mm) – **Diving from concourse is ok**

# SILVER CITY SWIM CENTRE

Updated 16/11/2023

Measured by: Consultant / Surveyor | National | State | District | Club

Lane	Lane Number	Length	Width
Outside Lane (left)	1	24990mm	2490mm
Outside Lane (right)	3	24990mm	2490mm
Middle Lane	2	24990mm	2490mm


## SHALLOW END

Block Type: No Blocks

No Blocks	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	1350mm	4	YES
	Water Depth @6m	1350mm		
	Water Depth @15m	1350mm		
	Concourse Height (Above water)	0mm		
	Block	Front	Back	Block Diving Allowed
	Height (above water)	N/A	N/A	NO
	Width	N/A		
	Depth	N/A		

## DEEP END

Block Type: OSB 11

	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	1350mm	4	YES
	Water Depth @6m	1350mm		
	Water Depth @15m	1350mm		
	Water Depth @12.5m	1350mm		
	Concourse Height (Above water)	130mm		
Block	Front	Back / Kicker	Block Diving Allowed	
Height (above water)	580mm	670mm	YES	
Width	520mm			
Depth				

## STATE SWIM CLOVERCREST

**Updated 18/09/2018**

**(Blocks at both ends)**

- (a) Shallow end 830mm deep: Concourse height above water 190mm (SAL Policy 2a applies less than 1 meter no diving) – **NO Diving**
- (b) Deep end 1280mm deep: Block height above water 470mm and concourse height above water 190mm (SAL Policy 2c applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**



## STATE SWIM SEAFORD (SOUTHERN PERFORMANCE)

**Updated 31/03/2017**

- (a) Shallow End: **No Diving until pool is remeasured**
- (b) Deep End: **No Diving until pool is remeasured**

## STRATHALBYN SWIMMING POOL

**Updated 30/10/2020**

**(Blocks at deep end only)**

- (a) Shallow End 1250mm deep: Block height above water 650mm and Concourse height above water 290mm (SAL Policy 2c applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**
- (b) Deep End 1800mm deep: Block height above water 650mm and Concourse height above water 290mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**

## THE ARC CAMPBELLTOWN (TEA TREE GULLY)

**Updated 18/12/2018**

**(No Blocks at shallow end)**

- (a) Shallow end 1100mm deep: Concourse height above water 420mm (SAL Policy 2b applies diving to a maximum of 400mm) – **NO Diving**
- (b) Deep end 1800mm deep: Block height above water 650mm and Concourse height above water 420mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**

## THE AQUADOME POOL (PLAYFORD AQUATIC)

**Updated 27/08/18**

**(No blocks at shallow end)**

- (a) Shallow end 1090mm deep: Concourse height above water 190mm – **diving from concourse is ok.** Pool must be remeasured before each competition and before each day of a multi-day competition.
- (b) Deep end 1800mm deep: Block height above water 600mm and Concourse height above water 190mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**

## THEBARTON AQUATIC CENTRE (HENLEY & GRANGE)

### **Closed for Renovations**

Last Measured: 16/09/18 – Blocks at Deep End Only

No Diving permitted without updated pool specification form being submitted.

#### Previous Measurements

Shallow end 980mm deep: No Blocks and Concourse height above water 200mm

Deep end 3050mm deep: Block height above water 610mm and Concourse height above water 220mm

## THE PARKS RECREATION & SPORTS CENTRE

**Updated 14/10/2020**

**(Blocks at both ends)**

- (a) Shallow end 1380mm deep: Block height above water 450mm and concourse height above water 0mm (SAL Policy 2d applies diving to a maximum of 750mm) – **diving from blocks or concourse is ok.**
- (b) Deep end 1800mm deep: Block height above water 450mm and concourse height above water 0mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**

## TRINITY COLLEGE POOL (STARPLEX)

**Updated 02/11/2020**

### **(blocks at deep end only)**

- (a) Shallow end 900mm deep: Concourse height above water 405mm (SAL Policy 2a applies less than 1 metre no diving) – **NO Diving Allowed**
- (b) Deep end 1800mm deep: Block height above water 620mm and concourse height above water 405mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**

# UNLEY SWIMMING CENTRE

Updated 23/11/2022

Measured by: Consultant / Surveyor | National | State | District | Club | Venue

Lane	Lane Number	Length	Width
Outside Lane (left)	8	50m	2.7m
Outside Lane (right)	1	50m	2.7m
Middle Lane	5	50m	2.5m

## SHALLOW END


Block Type: N/A

Not Applicable	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	1200mm	2c	YES
	Water Depth @6m	1240mm		
	Water Depth @15m	1250mm		
	Concourse Height (Above water)	280mm		
	Block	Front	Back	Block Diving Allowed
	Height (above water)	N/A	N/A	NO
	Width	N/A		
	Depth	N/A		

## DEEP END

Block Type: SR Smith

Backstroke Ledge: N/A

	Pool	Measure	SAL Policy	Concourse Diving Allowed
	Water Depth @1m	2100mm	2d	YES
	Water Depth @6m	2100mm		
	Water Depth @15m	2000mm		
	Water Depth @25m	1700mm		
	Concourse Height (Above water)	280mm		
	Block	Front	Back / Kicker	Block Diving Allowed
	Height (above water)	390mm	600mm	YES
	Width	570mm		
Depth	660mm			



## WATER WORLD AQUATIC CENTRE (RIDGEHAVEN)

**Updated 03/10/2018**

### **(Blocks at deep end only)**

- (a) Shallow end 1100mm deep: No Blocks. Concourse height above water 200mm (SAL Policy 2b applies diving to a maximum of 400mm) - **diving from concourse is OK.**
- (b) Deep end 1800mm deep: Block height above water 510mm and Concourse height above water 200mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK.**

## SPORTS & SWIMMING CENTRE (WESTMINISTER SCHOOL)

**Updated 21/02/2017**

**(Blocks at deep end only)**

- (a) Shallow End: **No Diving until pool is remeasured**
- (b) Deep End: **No Diving until pool is remeasured**

## WOODSIDE ARMY BARRACKS (ONKAPARINGA)

**Updated 13/12/2018**

**(Blocks at deep end only)**

- (a) Shallow end 1000mm deep: concourse height above water 0mm (SAL Policy 2b applies diving to a maximum of 400mm) – **Diving from concourse is ok** Pool must be remeasured before each competition and before each day of a multi-day competition.
- (b) Deep end 3000mm deep: Block height above water 670mm and concourse height above water 0mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

## WHYALLA RECREATION CENTRE

**Updated 19/10/2018**

**(Blocks at deep end only)**

- (a) Shallow end 1020mm deep: No Blocks. Concourse height above water 110mm (SAL Policy 2b applies diving to a maximum of 400mm) - **diving from concourse is OK** Pool must be remeasured before each competition and before each day of a multi-day competition.
- (b) Deep end 1950mm deep: Block height above water 600mm and concourse height above water 110mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from blocks or concourse is OK**

---

*Venues Not Currently Approved for use by Swimming Clubs*


---

### **Burra Pool**

Last Measured: 21/02/17

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.



### **Carrieton Pool**

Last Measured: 29/11/2016

No diving permitted



### **Cowell Pool**

Last Measured: 17/03/2015

No Diving permitted



## **Eudunda Pool**

Last Measured: 05/01/06

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.



## **Findon Swim School (Norwood)**

Last Measured:

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.




## **Geranium Pool**

Last Measured: 17/02/2015

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.



### **Hawker Pool**

Last Measured: 17/02/2015

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.

### **Murrayville Pool**

Last Measured: 12/11/2015

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.

### **Parafield Gardens Swimming Centre**

Last Measured: 21/11/05 - Blocks at deep end only

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.

### **Roxby Downs Leisure Centre**

**Last Measured: 19/12/2018** – Blocks at deep end only

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.

Shallow end 1000mm deep: Concourse height above water 240mm

Deep end 2100mm deep: Block height above water 750mm and Concourse height above water 240mm

### **Sherriffs Road Pool (Fleurieu)**

**Last Measured: 31/03/2017** - Blocks at deep end only

Not Currently being used by a club


No Diving permitted without updated pool specification form being submitted.

### **Swan Reach Area School Pool**

**Last Measured: 01/03/06** - No Blocks at either end

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.



### **swimskool - Mount Gambier**

**Last Measured: 10/03/2017**

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.

Shallow end 940mm deep: No Blocks and concourse height above water 240mm

Deep end 940mm deep: No Blocks and concourse height above water 240mm

### **Waikerie Pool**

**Last Measured: 24/02/2015** - Blocks at deep end only

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.



---

*Closed Venues*

---

Venue Name	Last Measured	Closure Date
Balyana Pool	13/01/2006	2017
Leigh Creek Pool	11/03/2008	26 April 2021
Magill Pool (UniSA)	17/02/2015	2020

---

*Open Water venues*

---

Because of the variability of water depths and platform heights above the water due to tidal movements, and the potential uncertainties associated with underwater obstacles, it is not practical to attempt to measure water depth and platform heights for open water swim starts. Therefore, **ALL** open water swimming competitions that commence from a platform above the water surface shall require the swimmers to use a feet first entry or to start in the water.

**End document**