

# South Australian Safe Water Entry Information

Version 55

Updated January 2024

| Document Control  | 4  |
|---|----|
| Venue Index – Last Measured Dates                           | 5  |
| Adelaide Aquatic Centre (Norwood)                           | 6  |
| Adelaide Hills Swimming Centre (Onkaparinga)                | 7  |
| Balaklava Swimming Pool                                     |    |
| Hayden Stoeckel Swimming Pool (Berri)                       | 9  |
| Broken Hill Regional Aquatic Centre                         |    |
| Booleroo Centre Memorial Swimming Pool                      | 11 |
| Tatiara District Memorial Pool (Bordertown)                 | 12 |
| George Bolton Swimming Centre (Burnside)                    | 13 |
| The Valleys Outdoor pool (Clare) – Shallow End              | 14 |
| The Valleys Outdoor pool (Clare) – Deep End                 | 15 |
| Crystal Brook Swimming Pool                                 | 16 |
| Fleurieu Aquatic Centre (Great Southern)                    | 17 |
| Gawler Aquatic Centre                                       | 18 |
| Gladstone Swimming Pool                                     | 19 |
| Immanuel College  | 20 |
| Jamestown Swimming Pool                                     | 21 |
| Keith Swimming Pool   | 22 |
| Largs Bay Swim Centre (Western Aquatic)                     | 23 |
| Lameroo Swimming Centre (Mallee)                            | 24 |
| Loxton Swimming Pool – Shallow End                          | 25 |
| Loxton Swimming Pool – Deep End                             | 26 |
| Mount Barker Mountain Pool                                  | 28 |
| Wulanda Recreation and Convention Centre (MT Gambier - 50m) | 29 |
| Wulanda Recreation and Convention Centre (MT Gambier - 25m) | 30 |
| Murray Bridge Swimming Centre                               |    |
| Noarlunga Aquatic Centre – 25m (Southern Performance)       | 32 |
| Noarlunga Aquatic Centre – 50m (Southern Performance)       | 32 |
| Norwood Swim School   | 33 |
| Norwood Swimming Centre                                     | 34 |
| Nuriootpa War Memorial Swimming Pool (Barossa)              | 35 |
| Orroroo Swimming Pool                                       |    |
| Payneham Memorial Swimming Centre                           | 37 |
| Penola Swimming Pool  |    |
| Pinnaroo Swimming Pool (Mallee)                             | 40 |
| Ryan Mitchell Swim Centre (Port Augusta)                    | 41 |
| Port Lincoln Leisure Centre (West Coast)                    |    |
| Port Pirie Aquatic Leisure Centre                           |    |
| Prince Alfred College Red Centre (Kent Town Swim)           |    |
| Quorn Swimming Pool   |    |
| Renmark Swimming Centre                                     |    |
| Alan Coulter Recreation Centre (Renmark)                    |    |
| SA Aquatic & Leisure Centre                                 |    |
| Salisbury Swimming Centre                                   |    |
| Seaton Swim Centre (Norwood)                                |    |
| Silver City Swim Centre                                     |    |
| State Swim Clovercrest                                      |    |
| State Swim Seaford (Southern Performance)                   |    |
| Strathalbyn Swimming Pool                                   |    |
| The ARC Campbelltown (Tea Tree Gully)                       | 58 |

| The Aquadome Pool (Playford Aquatic)  | 59 |
|---|----|
| Thebarton Aquatic Centre (Henley & Grange)                                  | 60 |
| The Parks Recreation & Sports Centre  | 61 |
| Trinity College Pool (Starplex)   | 62 |
| Unley Swimming Centre   |    |
| Water World Aquatic Centre (Ridgehaven)                                     |    |
| Sports & Swimming Centre (Westminister School)                              |    |
| Woodside Army Barracks (Onkaparinga)  |    |
| Whyalla Recreation Centre   |    |
| , · · · · · · · · · · · · · · · · · · ·                                     | -  |
| Venues Not Currently Approved for use by Swimming Clubs                     | 68 |
| Burra Pool  |    |
| Cambrai Swimming Pool   |    |
| Cowell Pool   |    |
| Eudunda Pool  |    |
| Findon Swim School (Norwood)  |    |
| Geranium Pool   |    |
| Hamley Bridge Swimming Pool   |    |
| Hawker Pool   |    |
| Kapunda Swimming Pool   |    |
| Kapunda Swimming Pool<br>Karoonda Area School Pool                          |    |
|   |    |
| Kimba Swimming Centre<br>Kingston Community School Pool                     |    |
|   |    |
| Minnipa & Districts Swimming Pool   |    |
| Murrayville Pool  |    |
| Parafield Gardens Swimming Centre   |    |
| Pridham Hall (UniSA)  |    |
| Purruna Spencer Newton Centre (Scotch College)                              |    |
| Roxby Downs Leisure Centre  |    |
| Sherriffs Road Pool (Fleurieu)  |    |
| swimskool - Mount Gambier   |    |
| Waikerie Pool   |    |
| Williamstown Pool   |    |
| Wudinna Swimming Pool   | 75 |
|   |    |
| School & Learn to Swim Pools (<25m) Not Currently Approved for use by Clubs |    |
| Blue Dolphin Swim School  |    |
| Brinkworth Primary School Pool  |    |
| Cleave Area School Pool   |    |
| Carrieton Pool  |    |
| Jump Swim School (Aldinga)  | 77 |
| Jump Swim School (Hackham)  | 77 |
| Kimba Area School Pool  | 77 |
| Mannum Swimming Pool (Community College Pool)                               | 77 |
| Swan Reach Area School Pool   | 78 |
| West Beach Primary School   | 78 |
|   |    |
| Closed Venues   | 79 |
|   |    |
| Open Water Venues   | 79 |

# DOCUMENT CONTROL

| 2011 2022                      | Version    |                        | See older versions for specifics of previous |
|--------------------------------|------------|------------------------|--|
| 2011 - 2023                    | 23-52      |                        | updates                                      |
| 10 <sup>th</sup> November 2023 |            | New Measurements taken | Nuriootpa (Barossa Valley)                   |
| 13 <sup>th</sup> November 2023 |            | New Form Requested     | Jamestown                                    |
| 14 <sup>th</sup> November 2023 |            | New Form Requested     | Gawler, Berri                                |
| 15 <sup>th</sup> November 2023 |            | New Form Requested     | Port Augusta, Murray Bridge, Keith, Loxton,  |
| 15° NOVEILIDEL 2025            |            | New Form Requested     | Quorn  |
|                                |            | New Pool Added         | Balaklava                                    |
|                                |            | New Form Received      | Largs Bay, Silver City, Mt Gambier           |
|                                |            |                        | Adelaide Aquatic, Broken Hill, Burnside,     |
|                                |            |                        | Crystal Brook, Fleurieu, Gawler, Gladstone,  |
| 16 <sup>th</sup> November 2023 |            |                        | Jamestown, Marion, Mt Gambier, Mt Barker,    |
| 10 10000111001 2023            | Version 53 | New Form Requested     | Noarlunga, Norwood SS, Orroroo, Port Pirie,  |
|                                | Version 55 | NewFormRequested       | PAC, Rex, Seaton, Sheriffs Rd, Stateswim     |
|                                |            |                        | Clovercrest/Seaford, Strathalbyn, The ARC,   |
|                                |            |                        | The Aquadome, The Parks, STARplex,           |
|                                | -          |                        | Waterworld, Woodside, Whyalla                |
| 17 <sup>th</sup> November 2023 | -          | New Form Received      | Clare  |
| 21 <sup>st</sup> November 2023 | _          | New Form Received      | Renmark                                      |
| 21 <sup>st</sup> November 2023 | _          | New Form Received      | Penola, Adelaide Hills                       |
| 22 <sup>nd</sup> November 2023 |            | New Form Received      | Immanuel - Remeasure                         |
|                                | -          | New Form Requested     | St Peters, Norwood Outdoor                   |
| 25 <sup>th</sup> November 2023 |            | New Form Received      | Clare, Quorn, Murray Bridge, PAC, Burnside   |
| 28 <sup>th</sup> November 2023 |            | New Form Received      | Loxton, Keith                                |
| 1 <sup>st</sup> December 2023  |            | New Form Received      | Jamestown                                    |
| 4 <sup>th</sup> December 2023  | Version 54 | New Form Received      | Port Augusta, Norwood - Remeasure            |
| 9 <sup>th</sup> December 2023  | version 34 | New Form Received      | The ARC                                      |
| 12 <sup>th</sup> December 2023 |            | New Form Received      | Berri  |
| 3 <sup>rd</sup> January 2024   | Version 55 | New Form Received      | Waterworld                                   |

# VENUE INDEX - LAST MEASURED DATES

| Name (Swimming Pool)                              | Date       | Name (Swimming Pool)                           | Date       |
|---|------------|--|------------|
| Adelaide Aquatic Centre                           | 03/09/2018 | Norwood Swim School                            | 10/9/2018  |
| Adelaide Hills Swimming Centre (Onkaparinga pool) | 21/11/2023 | Norwood Swimming Centre                        | 04/12/2023 |
| Balaklava Swimming Pool                           | 16/11/2023 | Nuriootpa Pool (Barossa Valley)                | 07/11/2023 |
| Balyana Pool - Closed                             | NFR – ND   | Orroroo Pool                                   | 16/12/2018 |
| Berri Pool (Hayden Stoeckel Swimming Pool)        | 12/12/2023 | Parafield Garden Swimming Centre               | NFR - ND   |
| Broken Hill – 50m Pool                            | 10/10/2018 | Payneham Pool – Closed for Renovations         | NFR - ND   |
| Broken Hill – 25m Pool                            | 14/10/2020 | Penola Pool                                    | 21/11/2023 |
| Booleroo Centre Pool                              | 07/11/2022 | Pinnaroo Pool                                  | 06/11/2022 |
| Bordertown Pool (Tatiara District Memorial Pool)  | 20/10/2022 | Port Augusta Pool (Ryan Mitchell Swim Centre)  | 04/12/2023 |
| Burnside Pool (George Bolton)                     | 25/11/2023 | Port Lincoln Pool (West Coast)                 | 15/11/2022 |
| Burra Pool  | NFR – ND   | Port Pirie Swimming Pool                       | 02/11/2020 |
| Carrieton Pool                                    | NFR – ND   | Prince Alfred College (Kent Town Swim)         | 25/11/2023 |
| Clare Pool  | 25/11/2023 | Quorn Pool                                     | 25/11/2023 |
| Cowell Pool                                       | NFR – ND   | Renmark Pool                                   | 22/11/2023 |
| Crystal Brook Pool                                | 10/09/2018 | Rex Barossa Aquatic & Fitness (Tanunda)        | 05/10/2018 |
| Eudunda Pool                                      | NFR – ND   | Roxby Downs Leisure Centre                     | NFR - ND   |
| Fleurieu Aquatic Centre                           | 17/10/2020 | SA Aquatic &Leisure Centre                     | 20/01/2018 |
| Gawler Aquatic Centre                             | 15/10/2020 | Salisbury Pool - Renovations                   | NFR - ND   |
| Geranium Pool                                     | NFR – ND   | Seaton Swimming Centre                         | 05/09/2018 |
| Gladstone Pool                                    | 27/01/2019 | Sheriffs Road Pool                             | NFR - ND   |
| Hawker Pool                                       | NFR – ND   | Silver City Swim Centre                        | 16/11/2023 |
| Immanuel School Pool                              | 22/11/2023 | State Swim Clovercrest                         | 18/09/2018 |
| Jamestown Pool                                    | 01/12/2023 | State Swim Seaford                             | NFR - ND   |
| Keith Pool  | 01/12/2023 | Strathalbyn Pool                               | 17/10/2020 |
| Largs Bay Swim Centre                             | 16/11/2023 | St Peters College                              | NFR - ND   |
| Lameroo Swimming Centre                           | 06/02/2023 | Swan Reach Area School Pool                    | NFR - ND   |
| Leigh Creek Pool - Closed                         | NFR - ND   | The ARC (Campbelltown)                         | 09/12/2023 |
| Loxton Pool                                       | 28/11/2023 | The Aquadome Pool (Playford Aquatic)           | 27/08/2018 |
| Magill Pool (UniSA) - <i>Closed</i>               | NFR - ND   | Thebarton Pool (Henley & Grange) - Renovations | NFR - ND   |
| Marion Outdoor Pool                               | 19/12/2018 | The Parks Sport and Recreation Centre          | 14/10/2020 |
| Mount Barker Pool (Mountain Pool)                 | 22/09/2018 | Trinity College Pool (STARplex)                | 02/11/2020 |
| Mount Gambier Aquatic Centre (50m)                | 04/01/2023 | Unley Pool                                     | 23/11/2022 |
| Mount Gambier Aquatic Centre (25m)                | 04/01/2023 | Water World Pool (Tea Tree Gully)              | 03/01/2024 |
| Mount Gambier (SwimSkool)                         | NFR - ND   | Waikerie Pool                                  | NFR - ND   |
| Murray Bridge Swimming Centre                     | 25/11/2023 | Westminister School Pool                       | NFR - ND   |
| Murrayville Pool                                  | NFR - ND   | Woodside Army Barracks                         | 13/12/2018 |
| Noarlunga Leisure Centre- 25 Segment/Pool         | 13/09/2018 | Whyalla Pool                                   | 19/10/2018 |
| Noarlunga Leisure Centre- 50 Segment/Pool         | NFR - ND   |  |            |

\*Note: Pool's with a NFR – ND Status must be immediately measured before next use by a SwimmingSA Club, district or state team.

# ADELAIDE AQUATIC CENTRE (NORWOOD)

#### Updated 03/09/2018 (Blocks at both ends)

- (a) Shallow end (50m) 1100mm deep: block height above water 680mm and concourse height above water 310mm (SAL Policy 2b applies diving to a maximum of 400mm) diving from concourse is ok. No diving from blocks.
- (b) Shallow end **(25m)** 1500mm deep: Block height above water 680mm and concourse height above water 310mm (SAL Policy 2d applies diving to a maximum of 750mm) **diving from blocks or concourse is OK.**
- (c) Deep end 2000mm deep: Block height above water 695mm and concourse height above water 310mm (SAL Policy 2d applies diving to a maximum of 750mm) **diving from blocks or concourse is OK.**

# ADELAIDE HILLS SWIMMING CENTRE (ONKAPARINGA) Updated 21/11/2023

Measured by: Consultant / Surveyor | National | State | District | Club



| Lane                 | Lane Number | Length | Width  |
|----------------------|-------------|--------|--------|
| Outside Lane (left)  | 1           | 25m    | 2.083m |
| Outside Lane (right) | 6           | 25m    | 2.083m |
| Middle Lane          | 3           | 25m    | 2.083m |

#### SHALLOW END

Block Type: N/A

|           | Pool                              | Measure | SAL Policy | Concourse<br>Diving Allowed |  |
|-----------|-----------------------------------|---------|------------|-----------------------------|--|
|           | Water Depth @1m                   | 1100mm  |            |                             |  |
|           | Water Depth @6m                   | 1200mm  |            |                             |  |
|           | Water Depth @15m                  | 1400mm  | 2          | YES                         |  |
| NO BLOCKS | Concourse Height<br>(Above water) | 190mm   |            |                             |  |
|           |                                   |         |            |                             |  |
|           | Block                             | Front   | Back       | Block Diving<br>Allowed     |  |
|           | Height (above water)              | N/A     | N/A        |                             |  |
|           | Width                             |         | N/A        | NO                          |  |
|           | Depth                             |         | N/A        |                             |  |

#### DEEP END

Block Type: SR Smith - Anti wave 650

| Pool                              | Measure | SAL Policy    | Concourse<br>Diving Allowed |
|-----------------------------------|---------|---------------|-----------------------------|
| Water Depth @1m                   | 1850mm  |               |                             |
| Water Depth @6m                   | 2000mm  |               |                             |
| Water Depth @15m                  | 1250mm  | 4             | YES                         |
| Water Depth @12.5m                | 1350mm  | 4             | TES                         |
| Concourse Height<br>(Above water) | 200mm   |               |                             |
|                                   |         |               |                             |
| Block                             | Front   | Back / Kicker | Block Diving<br>Allowed     |
| Height (above water)              | 590mm   | 700mm         |                             |
| Width                             | 32      | 20mm          | YES                         |
| Depth                             | 64      | 10mm          |                             |

# **BALAKLAVA SWIMMING POOL**

Updated 16/11/2023

Measured by: Consultant / Surveyor | National | State | District | Club



| Lane                 | Lane Number | Length | Width  |
|----------------------|-------------|--------|--------|
| Outside Lane (left)  | 8           | 25m    | 2220mm |
| Outside Lane (right) | 1           | 25m    | 2260mm |
| Middle Lane          | 4           | 25m    | 2150mm |

#### SHALLOW END

Block Type: N/A

|              | Pool                              | Measure | SAL Policy | Concourse<br>Diving Allowed |
|--------------|-----------------------------------|---------|------------|-----------------------------|
|              | Water Depth @1m                   | 1200mm  |            |                             |
|              | Water Depth @6m                   | 1320mm  |            |                             |
|              | Water Depth @15m                  | 1700mm  | 3          | YES                         |
| NO BLOCKS AT | Concourse Height<br>(Above water) | 0mm     |            |                             |
| SHALLOW END  |                                   |         |            |                             |
|              | Block                             | Front   | Back       | Block Diving<br>Allowed     |
|              | Height (above water)              | N/A     | N/A        |                             |
|              | Width                             |         | N/A        | NO                          |
|              | Depth                             |         | N/A        |                             |

#### DEEP END

Block Type: SR Smith - Anti wave 650 Backstroke Ledge: N/A

|   | Pool                 | Measure  | SAL Policy    | Concourse<br>Diving Allowed |  |
|---|----------------------|----------|---------------|-----------------------------|--|
|   | Water Depth @1m      | 2000mm   |               |                             |  |
|   | Water Depth @6m      | 1900mm   |               |                             |  |
|   | Water Depth @15m     | 1570mm   | 4             | YES                         |  |
| 1 | Water Depth @12.5m   | 1630mm   | 4             | TES                         |  |
|   | Concourse Height     | 320mm    | 220mm         |                             |  |
|   | (Above water)        | 52011111 |               |                             |  |
|   |                      |          |               |                             |  |
|   | Block                | Front    | Back / Kicker | Block Diving<br>Allowed     |  |
|   | Height (above water) | 720mm    | 820mm         |                             |  |
|   | Width                | 60       | )0mm          | YES                         |  |
|   | Depth                | 67       | 70mm          |                             |  |

# Hayden Stoeckel Swimming Pool (Berri)

Updated 25/12/2023

Measured by: Consultant / Surveyor | National | State | District | Club



| Lane                 | Lane Number | Length | Width  |
|----------------------|-------------|--------|--------|
| Outside Lane (left)  | 1           | 50m    | 2540mm |
| Outside Lane (right) | 6           | 50m    | 2540mm |
| Middle Lane          | 3           | 50m    | 2540mm |

#### SHALLOW END

Block Type: N/A

|           | Pool                              | Measure | SAL Policy | Concourse<br>Diving Allowed |  |
|-----------|-----------------------------------|---------|------------|-----------------------------|--|
|           | Water Depth @1m                   | 1100mm  |            |                             |  |
|           | Water Depth @6m                   | 1200mm  |            |                             |  |
|           | Water Depth @15m                  | 1320mm  | 2          | YES                         |  |
| NO BLOCKS | Concourse Height<br>(Above water) | 240mm   |            |                             |  |
|           |                                   |         |            |                             |  |
|           | Block                             | Front   | Back       | Block Diving<br>Allowed     |  |
|           | Height (above water)              | N/A     | N/A        |                             |  |
|           | Width                             |         | N/A        | NO                          |  |
|           | Depth                             |         | N/A        |                             |  |

#### DEEP END

Block Type: Home Made

|       | Pool                 | Measure  | SAL Policy    | Concourse<br>Diving Allowed |
|-------|----------------------|----------|---------------|-----------------------------|
|       | Water Depth @1m      | 3500mm   |               |                             |
|       | Water Depth @6m      | 3500mm   |               |                             |
|       | Water Depth @15m     | 1800mm   |               | YES                         |
| - CON | Water Depth @25m     | 1450mm   | 4             | TES                         |
|       | Concourse Height     | 240mm    |               |                             |
|       | (Above water)        | 24011111 |               |                             |
|       |                      |          |               |                             |
|       | Block                | Front    | Back / Kicker | Block Diving<br>Allowed     |
|       | Height (above water) | 505mm    | 560mm         |                             |
|       | Width                | 50       | )0mm          | YES                         |
|       | Depth                | 41       | L5mm          |                             |

# **Broken Hill Regional Aquatic Centre**

# 50m Pool Updated 10/10/18

#### (Blocks at both ends)

- (a) Shallow end 1200mm deep: Block height above water 700mm and concourse height above water 300mm (SAL Policy 2c applies diving to a maximum of 750mm) **diving from blocks or concourse is OK.**
- (b) Deep end 2050mm deep: Block height above water 700mm and concourse height above water 300mm (SAL Policy 2d applies diving to a maximum of 750mm) **diving from blocks or concourse is OK.**

#### 25m Pool

#### Updated 21/05/2015

(Blocks at both ends)

- (a) Shallow end: No Diving Until pool remeasured
- (b) Deep end: No Diving Until pool remeasured

## BOOLEROO CENTRE MEMORIAL SWIMMING POOL Updated 07/11/2022

#### Measured by: Consultant / Surveyor | National | State | District | Club



| Lane                 | Lane Number | Length | Width  |
|----------------------|-------------|--------|--------|
| Outside Lane (left)  | 1           | 25m    | 1800mm |
| Outside Lane (right) | 6           | 25m    | 1800mm |
| Middle Lane          | 3           | 25m    | 1800mm |

#### SHALLOW END

Block Type: N/A

|           | Pool                              | Measure | SAL Policy | Concourse<br>Diving Allowed |  |
|-----------|-----------------------------------|---------|------------|-----------------------------|--|
|           | Water Depth @1m                   | 1100mm  |            |                             |  |
|           | Water Depth @6m                   | 1100mm  |            |                             |  |
|           | Water Depth @15m                  | 1100mm  | 2          | YES                         |  |
| NO BLOCKS | Concourse Height<br>(Above water) | 300mm   |            |                             |  |
|           |                                   |         |            |                             |  |
|           | Block                             | Front   | Back       | Block Diving<br>Allowed     |  |
|           | Height (above water)              | N/A     | N/A        |                             |  |
|           | Width                             |         | N/A        | NO                          |  |
|           | Depth                             |         | N/A        |                             |  |

#### DEEP END

Block Type: N/A

|           | Pool                 | Measure | SAL Policy    | Concourse<br>Diving Allowed |  |
|-----------|----------------------|---------|---------------|-----------------------------|--|
|           | Water Depth @1m      | 3500mm  |               |                             |  |
|           | Water Depth @6m      | 3500mm  | - 4           |                             |  |
|           | Water Depth @15m     | 3500mm  |               | YES                         |  |
|           | Water Depth @12.5m   | 1450mm  |               | TES                         |  |
| NO BLOCKS | Concourse Height     | 300mm   | 200,000,000   |                             |  |
| NU BLUCKS | (Above water)        |         |               |                             |  |
|           |                      |         |               |                             |  |
|           | Block                | Front   | Back / Kicker | Block Diving<br>Allowed     |  |
|           | Height (above water) | N/A     | N/A           |                             |  |
|           | Width                |         | N/A           | NO                          |  |
|           | Depth                |         | N/A           |                             |  |

# TATIARA DISTRICT MEMORIAL POOL (BORDERTOWN) Updated 20/10/2022

#### Measured by: Consultant / Surveyor | National | State | District | Club



| Lane                 | Lane Number | Length | Width |
|----------------------|-------------|--------|-------|
| Outside Lane (left)  | 1           | 50m    | 2.5m  |
| Outside Lane (right) | 6           | 50m    | 2.5m  |
| Middle Lane          | 3           | 50m    | 2.5m  |

#### SHALLOW END

Block Type: N/A

|           | Pool                              | Measure | SAL Policy | Concourse<br>Diving Allowed |
|-----------|-----------------------------------|---------|------------|-----------------------------|
|           | Water Depth @1m                   | 1080mm  |            |                             |
|           | Water Depth @6m                   | 1150mm  |            |                             |
|           | Water Depth @15m                  | 1245mm  | 2          | YES                         |
| NO BLOCKS | Concourse Height<br>(Above water) | 180mm   |            |                             |
|           |                                   |         | •          |                             |
|           | Block                             | Front   | Back       | Block Diving<br>Allowed     |
|           | Height (above water)              | N/A     | N/A        |                             |
|           | Width                             |         | N/A        | NO                          |
|           | Depth                             |         | N/A        |                             |

#### DEEP END

Block Type: Cement

|   | Pool                 | Measure  | SAL Policy    | Concourse<br>Diving Allowed |
|---|----------------------|----------|---------------|-----------------------------|
|   | Water Depth @1m      | 2000mm   |               |                             |
|   | Water Depth @6m      | 1940mm   |               |                             |
|   | Water Depth @15m     | 1650mm   | 4             | YES                         |
| - | Water Depth @25m     | 1360mm   | 4             | TES                         |
|   | Concourse Height     | 180mm    |               |                             |
| 6 | (Above water)        | 18011111 |               |                             |
|   |                      |          |               |                             |
|   | Block                | Front    | Back / Kicker | Block Diving<br>Allowed     |
|   | Height (above water) | 640mm    | 650mm         |                             |
|   | Width                | 50       | )0mm          | YES                         |
|   | Depth                | 66       | 50mm          |                             |

# GEORGE BOLTON SWIMMING CENTRE (BURNSIDE) Updated 25/11/2023

#### Measured by: Consultant / Surveyor | National | State | District | Club



| Lane                 | Lane Number | Length | Width  |
|----------------------|-------------|--------|--------|
| Outside Lane (left)  | 1           | 50m    | 2380mm |
| Outside Lane (right) | 8           | 50m    | 2380mm |
| Middle Lane          | 4           | 50m    | 2180mm |

#### SHALLOW END

Block Type: N/A

|           | Pool                              | Measure | SAL Policy | Concourse<br>Diving Allowed |
|-----------|-----------------------------------|---------|------------|-----------------------------|
|           | Water Depth @1m                   | 1100mm  |            |                             |
|           | Water Depth @6m                   | 1200mm  |            |                             |
|           | Water Depth @15m                  | 1350mm  | 2          | YES                         |
| NO BLOCKS | Concourse Height<br>(Above water) | 290mm   |            |                             |
|           |                                   | •       | •          |                             |
|           | Block                             | Front   | Back       | Block Diving<br>Allowed     |
|           | Height (above water)              | N/A     | N/A        |                             |
|           | Width                             |         | N/A        | NO                          |
|           | Depth                             |         | N/A        |                             |

#### DEEP END

Block Type: N/A

|            | Pool                 | Measure | SAL Policy    | Concourse<br>Diving Allowed |  |
|------------|----------------------|---------|---------------|-----------------------------|--|
|            | Water Depth @1m      | 1800mm  |               |                             |  |
|            | Water Depth @6m      | 1670mm  | 4             |                             |  |
|            | Water Depth @15m     | 1570mm  |               | YES                         |  |
|            | Water Depth @25m     | 1400mm  |               | TES                         |  |
| NO Blocks  | Concourse Height     | 290mm   | 200mm         |                             |  |
| INO DIOCKS | (Above water)        |         |               |                             |  |
|            |                      |         |               |                             |  |
|            | Block                | Front   | Back / Kicker | Block Diving<br>Allowed     |  |
|            | Height (above water) | N/A     | N/A           |                             |  |
|            | Width                |         | N/A           | NO                          |  |
|            | Depth                |         | N/A           |                             |  |

# THE VALLEYS OUTDOOR POOL (CLARE) – SHALLOW END Updated 25/11/2023

Measured by: Consultant / Surveyor | National | State | District | Club



| Lane                 | Lane Number | Length | Width |
|----------------------|-------------|--------|-------|
| Outside Lane (left)  | 8           | 25m    | 2.5m  |
| Outside Lane (right) | 1           | 25m    | 2.5m  |
| Middle Lane          | 4           | 25m    | 2.5m  |

#### SHALLOW END

Block Type: N/A

|           | Pool                              | Measure | SAL Policy | Concourse<br>Diving Allowed |
|-----------|-----------------------------------|---------|------------|-----------------------------|
|           | Water Depth @1m                   | 1050mm  |            |                             |
|           | Water Depth @6m                   | 1050mm  |            | ONLY IF<br>CONDITIONS       |
|           | Water Depth @15m                  | 1065mm  | 2          | ON THE DAY                  |
| NO BLOCKS | Concourse Height<br>(Above water) | 300mm   |            | PERMIT                      |
|           |                                   |         |            |                             |
|           | Block                             | Front   | Back       | Block Diving<br>Allowed     |
|           | Height (above water)              | N/A     | N/A        |                             |
|           | Width                             |         | N/A        | NO                          |
|           | Depth                             |         | N/A        |                             |

Actions Required:

- 1. Training & Event host must ensure that venue management risk management processes are in place and have been considered with regards to diving.
- 2. Prior to use coaches & officials must familiarise themselves and swimmers of the surroundings using the Swimming Australia Competitive Dive Entry Preparation Checklist. <u>Click Here</u> for Checklist.
- 3. No diving at shallow end for any individual training or racing activity
- 4. Swimmers competing in relays may dive from the shallow end provided that:
  - $\circ$  The depth at 1m & 6m from the wall is measured prior to the race; and
    - $\circ$  ~ The depth at 1m & 6m remains at more than 1000m; and
    - o Swimmer's diving have been trained in diving in shallow water
- 5. At any SwimmingSA approved event, the referee will have the final decision on diving from the shallow end at the event.

# THE VALLEYS OUTDOOR POOL (CLARE) – DEEP END Updated 25/11/2023

## Measured by: Consultant / Surveyor | National | State | District | Club

#### **DEEP END**

Block Type: AQUEAS AQ-SP01

|  | Pool                              | Measure | SAL Policy    | Concourse<br>Diving Allowed |
|--|-----------------------------------|---------|---------------|-----------------------------|
|  | Water Depth @1m                   | 1930mm  |               |                             |
|  | Water Depth @6m                   | 1880mm  | - 4           |                             |
|  | Water Depth @15m                  | 1500mm  |               | YES                         |
|  | Water Depth @12.5m                | 1500mm  |               | TES                         |
|  | Concourse Height<br>(Above water) | 300mm   |               |                             |
|  |                                   |         |               |                             |
|  | Block                             | Front   | Back / Kicker | Block Diving<br>Allowed     |
|  | Height (above water)              | 750mm   | 820mm         |                             |
|  | Width                             | 49      | )5mm          | YES                         |
|  | Depth                             | 50      | )0mm          |                             |

# **CRYSTAL BROOK SWIMMING POOL**

# Updated 10/9/2018

(no blocks at either end)

- (a) Shallow end 960mm deep: Concourse height above water 300mm (SAL Policy 2a applies less than 1 metre no diving) **No Diving**.
- (b) Deep end 2600mm deep: Concourse height above water 300mm (SAL Policy 2d applies diving to a maximum of 750mm) **diving from concourse is OK**.

# FLEURIEU AQUATIC CENTRE (GREAT SOUTHERN)

#### Updated 17/10/2020

#### (a) **25m Competition Pool (Blocks at deep end only)**:

Shallow end 1150mm deep: concourse height above water is 0mm (SAL Policy 2b applies diving to a maximum of 400mm) – **diving from concourse is ok** 

Deep end 1800mm deep: Block height above water is 620mm and concourse height above water is 450mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from block or concourse is OK** 

#### (b) Hydro-Therapy Pool (No blocks):

Shallow End 1050mm: concourse height above water is 0mm (SAL Policy 2b applies diving to a maximum of 400mm) – **diving from concourse is ok.** Pool must be remeasured before each competition and before each day of a multi-day competition.

Deep End 1500mm: concourse height above water is 0mm (SAL Policy 2d applies diving to a maximum of 750mm - **diving from concourse is OK** 

#### (c) **Program Pool (No Blocks)**

Shallow End 750mm: concourse height above water is 0mm (SA Policy 2a applies less than 1 metre no diving) – No Diving

Deep End 900mm: concourse height above water is 0mm (SAL Policy 2a applies less than 1 metre no diving) – No Diving



# **GAWLER AQUATIC CENTRE**

# Updated 15/10/2020

#### (Blocks at deep end only

- (a) Shallow end 1300mm deep: concourse height above water 270mm (SAL Policy 2c applies diving to a maximum of 750mm) **diving from concourse is OK**
- (b) Deep end 3700mm deep: Block height above water 720mm and concourse height above water 270mm (SAL Policy 2d applies diving to a maximum of 750mm) **diving from blocks or concourse is OK**



# **GLADSTONE SWIMMING POOL**

# Updated 27/01/2019

## (no blocks at shallow end)

- (a) Shallow end 910mm: concourse height above water is 140mm (SA Policy 2a applies less than 1 metre no diving) No Diving
- (b) Deep end 2800mm deep Block height above water 450mm and concourse height above water 140mm (SAL Policy 2d applies diving to a maximum of 750mm) – diving from blocks and concourse is ok.

## IMMANUEL COLLEGE Updated 22/11/2023

Measured by: Consultant / Surveyor | National | State | District | Club



| Lane                 | Lane Number | Length | Width |
|----------------------|-------------|--------|-------|
| Outside Lane (left)  | 10          | 25m    | 2.44m |
| Outside Lane (right) | 1           | 25m    | 2.44m |
| Middle Lane          | 5           | 25m    | 2.24m |

#### SHALLOW END

Block Type: No Blocks

|           | Pool                              | Measure          | SAL Policy | Concourse<br>Diving Allowed |
|-----------|-----------------------------------|------------------|------------|-----------------------------|
|           | Water Depth @1m                   | 1260mm           |            |                             |
|           | Water Depth @6m                   | 1430mm           |            |                             |
|           | Water Depth @15m                  | 1800mm           | 3          | YES                         |
| NO BLOCKS | Concourse Height<br>(Above water) | <mark>0mm</mark> |            |                             |
|           |                                   |                  |            |                             |
|           | Block                             | Front            | Back       | Block Diving<br>Allowed     |
|           | Height (above water)              | N/A              | N/A        |                             |
|           | Width                             |                  | N/A        | NO                          |
|           | Depth                             |                  | N/A        |                             |

#### DEEP END

Block Type: OMEGA OSB14

|     | Pool                 | Measure | SAL Policy    | Concourse<br>Diving Allowed |
|-----|----------------------|---------|---------------|-----------------------------|
|     | Water Depth @1m      | 1705mm  |               |                             |
|     | Water Depth @6m      | 1840mm  | - 4           |                             |
|     | Water Depth @15m     | 1610mm  |               | VEC                         |
|     | Water Depth @12.5m   | 1800mm  |               | YES                         |
|     | Concourse Height     | 0mm     | -             |                             |
|     | (Above water)        | omm     |               |                             |
| 4 4 |                      |         |               |                             |
|     | Block                | Front   | Back / Kicker | Block Diving<br>Allowed     |
|     | Height (above water) | 660mm   | 800mm         |                             |
|     | Width                | 51      | 15mm          | YES                         |
|     | Depth                | 74      | 10mm          |                             |

#### JAMESTOWN SWIMMING POOL Updated 01/12/2023



#### Measured by: Consultant / Surveyor | National | State | District | Club

| Lane                 | Lane Number | Length | Width  |
|----------------------|-------------|--------|--------|
| Outside Lane (left)  | 1           | 25m    | 1750mm |
| Outside Lane (right) | 5           | 25m    | 1800mm |
| Middle Lane          | 3           | 25m    | 1800mm |

#### SHALLOW END

Block Type: Proposed Aqueas SPO3-C

|               | Pool                              | Measure | SAL Policy | Concourse<br>Diving Allowed |
|---------------|-----------------------------------|---------|------------|-----------------------------|
|               | Water Depth @1m                   | 1200mm  |            |                             |
|               | Water Depth @6m                   | 1560mm  | 3          |                             |
|               | Water Depth @15m                  | 2000mm  |            | YES                         |
| IMAGE PENDING | Concourse Height<br>(Above water) | 230mm   |            |                             |
|               |                                   |         |            |                             |
|               | Block                             | Front   | Back       | Block Diving<br>Allowed     |
|               | Height (above water)              | 660mm   | 720mm      |                             |
|               | Width                             | 49      | 5mm        | YES                         |
|               | Depth                             | 50      | 0mm        |                             |

#### DEEP END

Block Type: Aqueas SPO1-C

|  | Pool                              | Measure | SAL Policy    | Concourse<br>Diving Allowed |
|--|-----------------------------------|---------|---------------|-----------------------------|
|  | Water Depth @1m                   | 2400mm  |               |                             |
|  | Water Depth @6m                   | 2300mm  | - 4           |                             |
|  | Water Depth @15m                  | 1800mm  |               | YES                         |
|  | Water Depth @12.5m                | 1800mm  |               | TES                         |
|  | Concourse Height<br>(Above water) | 230mm   |               |                             |
|  |                                   |         |               |                             |
|  | Block                             | Front   | Back / Kicker | Block Diving<br>Allowed     |
|  | Height (above water)              | 666mm   | 720mm         |                             |
|  | Width                             | 45      | 50mm          | YES                         |
|  | Depth                             | 50      | )0mm          |                             |

## KEITH SWIMMING POOL Updated 01/12/2023



Measured by: Consultant / Surveyor | National | State | District | Club | Council

| Lane                 | Lane Number | Length | Width |
|----------------------|-------------|--------|-------|
| Outside Lane (left)  | 5           | 25m    | 2.3m  |
| Outside Lane (right) | 1           | 25m    | 2.3m  |
| Middle Lane          | 3           | 25m    | 2.15m |

#### SHALLOW END

Block Type: No Blocks

|           | Pool                              | Measure | SAL Policy | Concourse<br>Diving Allowed |
|-----------|-----------------------------------|---------|------------|-----------------------------|
|           | Water Depth @1m                   | 950mm   |            |                             |
|           | Water Depth @6m                   | 1075mm  |            |                             |
|           | Water Depth @15m                  | 1375mm  | 1          | NO                          |
| NO BLOCKS | Concourse Height<br>(Above water) | 185mm   |            |                             |
|           |                                   |         |            |                             |
|           | Block                             | Front   | Back       | Block Diving<br>Allowed     |
|           | Height (above water)              | N/A     | N/A        |                             |
|           | Width                             |         | N/A        | NO                          |
|           | Depth                             |         | N/A        |                             |

#### DEEP END

Block Type: No Blocks

|           | Pool                              | Measure | SAL Policy    | Concourse<br>Diving Allowed |
|-----------|-----------------------------------|---------|---------------|-----------------------------|
|           | Water Depth @1m                   | 2200mm  |               |                             |
|           | Water Depth @6m                   | 2200mm  | - 4           |                             |
|           | Water Depth @15m                  | 1375mm  |               | YES                         |
|           | Water Depth @12.5m                | 3000mm  |               | TES                         |
| No Blocks | Concourse Height<br>(Above water) | 185mm   |               |                             |
|           |                                   |         | T             |                             |
|           | Block                             | Front   | Back / Kicker | Block Diving<br>Allowed     |
|           | Height (above water)              | N/A     | N/A           |                             |
|           | Width                             |         | N/A           | NO                          |
|           | Depth                             |         | N/A           |                             |

# LARGS BAY SWIM CENTRE (WESTERN AQUATIC) Updated 16/11/2023

#### Measured by: Consultant / Surveyor | National | State | District | Club

| Lane                 | Lane Number | Length | Width  |
|----------------------|-------------|--------|--------|
| Outside Lane (left)  | 1           | 25m    | 2000mm |
| Outside Lane (right) | 6           | 25m    | 2008mm |
| Middle Lane          | 3           | 25m    | 2008mm |

#### SHALLOW END

Block Type: N/A

|                             | Pool                              | Measure | SAL Policy | Concourse<br>Diving Allowed |
|-----------------------------|-----------------------------------|---------|------------|-----------------------------|
|                             | Water Depth @1m                   | 800mm   |            |                             |
|                             | Water Depth @6m                   | 1000mm  |            |                             |
|                             | Water Depth @15m                  |         | 1          | NO                          |
| NO BLOCKS AT<br>SHALLOW END | Concourse Height<br>(Above water) | 250mm   |            |                             |
| SHALLOW END                 |                                   |         |            |                             |
|                             | Block                             | Front   | Back       | Block Diving<br>Allowed     |
|                             | Height (above water)              | N/A     | N/A        |                             |
|                             | Width                             |         | N/A        | NO                          |
|                             | Depth                             |         | N/A        |                             |

#### DEEP END

Block Type: Cement Backstroke Ledge: N/A

| Pool                              | Measure | SAL Policy    | Concourse<br>Diving Allowed |
|-----------------------------------|---------|---------------|-----------------------------|
| Water Depth @1m                   | 1250mm  |               |                             |
| Water Depth @6m                   | 1130mm  | 3             |                             |
| Water Depth @15m                  | 1000mm  |               | YES                         |
| Water Depth @12.5m                | 1000mm  |               |                             |
| Concourse Height<br>(Above water) | 250mm   |               |                             |
|                                   |         |               |                             |
| Block                             | Front   | Back / Kicker | Block Diving<br>Allowed     |
| Height (above water)              | 420mm   | 420mm         |                             |
| Width                             | 44      | l0mm          | YES                         |
| Depth                             | 48      | 30mm          |                             |

# LAMEROO SWIMMING CENTRE (MALLEE) Updated 06/02/2023

#### Measured by: Consultant / Surveyor | National | State | District | Club

| Lane                 | Lane Number | Length | Width |
|----------------------|-------------|--------|-------|
| Outside Lane (left)  | 6           | 25.02m | 2000m |
| Outside Lane (right) | 1           | 25.04m | 2435m |
| Middle Lane          | 4           | 25.03m | 2000m |

#### SHALLOW END

Block Type: N/A

|           | Pool                              | Measure | SAL Policy | Concourse<br>Diving Allowed |
|-----------|-----------------------------------|---------|------------|-----------------------------|
|           | Water Depth @1m                   | 900mm   |            |                             |
|           | Water Depth @6m                   | 1120mm  |            |                             |
|           | Water Depth @15m                  | 1395mm  | 1          | NO                          |
| No Blocks | Concourse Height<br>(Above water) | 225mm   |            |                             |
|           |                                   |         |            |                             |
|           | Block                             | Front   | Back       | Block Diving<br>Allowed     |
|           | Height (above water)              | N/A     | N/A        |                             |
|           | Width                             |         | N/A        | NO                          |
|           | Depth                             |         | N/A        |                             |

#### DEEP END

Block Type: Anti Wave 650 Launch with Quick Release Anchor Model /Item # 25-61-065R Backstroke Ledge: N/A

|                         | Pool                 | Measure  | SAL Policy    | Concourse<br>Diving Allowed |
|-------------------------|----------------------|----------|---------------|-----------------------------|
|                         | Water Depth @1m      | 1695mm   |               |                             |
| the second second       | Water Depth @6m      | 1535mm   |               |                             |
|                         | Water Depth @15m     | 1230mm   | 4             | YES                         |
|                         | Water Depth @25m     | 1305mm   | 4             | TES                         |
|                         | Concourse Height     | 235mm    | mm            |                             |
|                         | (Above water)        | 25511111 |               |                             |
|                         |                      |          |               |                             |
|                         | Block                | Front    | Back / Kicker | Block Diving<br>Allowed     |
|                         | Height (above water) | 640mm    | 720mm         |                             |
| All and a second second | Width                | 57       | 75mm          | YES                         |
|                         | Depth                | 66       | 50mm          |                             |

# LOXTON SWIMMING POOL - SHALLOW END

Updated 28/11/2023



#### Measured by: Consultant / Surveyor | National | State | District | Club

| Lane                 | Lane Number | Length | Width  |
|----------------------|-------------|--------|--------|
| Outside Lane (left)  | 8           | 50m    | 2460mm |
| Outside Lane (right) | 1           | 50m    | 2460mm |
| Middle Lane          | 4           | 50m    | 2250mm |

#### SHALLOW END

Block Type: Pooldeck/AQUEAS AQ-SP02 (Blocks have been removed)

|                                       | Pool                              | Measure | SAL Policy | Concourse<br>Diving Allowed |
|---------------------------------------|-----------------------------------|---------|------------|-----------------------------|
|                                       | Water Depth @1m                   | 1070mm  |            | ONLY IF                     |
|                                       | Water Depth @6m                   | 1110mm  | 2          |                             |
|                                       | Water Depth @15m                  | 1205mm  |            | ON THE DAY                  |
| Blocks have been removed from shallow | Concourse Height<br>(Above water) | 240mm   |            | PERMIT                      |
| end.                                  |                                   |         |            |                             |
|                                       | Block                             | Front   | Back       | Block Diving<br>Allowed     |
|                                       | Height (above water)              | 410mm   | 440mm      |                             |
|                                       | Width                             | 50      | )0mm       | NO                          |
|                                       | Depth                             | 50      | 0mm        |                             |

#### Actions Required:

- 1. Training & Event host must ensure that venue management risk management processes are in place and have been considered with regards to diving.
- 2. Prior to use coaches & officials must familiarise themselves and swimmers of the surroundings using the Swimming Australia Competitive Dive Entry Preparation Checklist. <u>Click Here</u> for Checklist.
- 3. Reduce the number of dives undertaken at the shallow end during training or racing, suggested that only swimmers competing in 4x50m relays should dive from the shallow end
- 4. Swimmers may dive from the shallow end provided that:
  - The depth at 1m & 6m from the wall is measured prior to the race; and
  - $\circ$   $\,$  The depth at 1m & 6m remains at more than 1000m during competition; and
  - o Swimmer's diving have been trained in diving in shallow water
- 5. At any SwimmingSA approved event, the referee will have the final decision on diving from the shallow end at the event.

# LOXTON SWIMMING POOL – DEEP END Updated 28/11/2023

#### Measured by: Consultant / Surveyor | National | State | District | Club

#### DEEP END

Block Type: Pooldeck/AQUEAS AQ-SP02

| Pool                 | Measure | SAL Policy    | Concourse<br>Diving Allowed |
|----------------------|---------|---------------|-----------------------------|
| Water Depth @1m      | 1500mm  |               |                             |
| Water Depth @6m      | 1460mm  |               |                             |
| Water Depth @15m     | 1392mm  | 4             | YES                         |
| Water Depth @25m     | 1292mm  | 4             | TES                         |
| Concourse Height     | 240mm   |               |                             |
| (Above water)        | 240mm   |               |                             |
|                      |         |               |                             |
| Block                | Front   | Back / Kicker | Block Diving<br>Allowed     |
| Height (above water) | 590mm   | 550mm         |                             |
| Width                | 50      | 0mm           | YES                         |
| Depth                | 50      | )0mm          |                             |

# (Blocks at deep end only)

- (a) Shallow end 1020mm deep: concourse height above water 310mm (SAL Policy 2b applies diving to a maximum of 400mm) diving from concourse is ok. Pool must be remeasured before each competition and before each day of a multi-day competition.
- (b) Deep end 1980mm deep: Block height above water 650mm and concourse height above water 310mm (SAL Policy 2d applies diving to a maximum of 750mm) **diving from blocks or concourse is OK**

# MOUNT BARKER MOUNTAIN POOL

# Updated 22/09/2018

## (Blocks at deep end only)

- (a) Shallow end 1020mm deep: concourse height above water 130mm diving from concourse is ok. Pool must be remeasured before each competition and before each day of a multi-day competition.
- (b) Deep end 2700mm deep: Block height above water 400mm and concourse height above water 130mm (SAL Policy 2d applies diving to a maximum of 750mm) **diving from blocks or concourse is OK**

# WULANDA RECREATION AND CONVENTION CENTRE (MT GAMBIER - 50M) Updated 04/01/2023

| Lane   | Surface | 500mm Below | Width  |
|--------|---------|-------------|--------|
| Lane 1 | 50.022m | 50.031m     | 2.145m |
| Lane 2 | 50.020m | 50.031m     | 2.145m |
| Lane 3 | 50.024m | 50.032m     | 2.145m |
| Lane 4 | 50.023m | 50.032m     | 2.145m |
| Lane 5 | 50.025m | 50.036m     | 2.145m |
| Lane 6 | 50.027m | 50.034m     | 2.145m |
| Lane 7 | 50.026m | 50.034m     | 2.145m |
| Lane 8 | 50.024m | 50.035m     | 2.145m |

#### Measured by: Consultant / Surveyor | National | State | District | Club

#### SHALLOW END

Block Type: OMEGA OSB11 Touchpads: OMEGA Touchpads set FINA 240X90 Backstroke Ledge: N/A Timing System: OMEGA QUANTUM Primary

|     | Pool                              | Measure | SAL Policy  | Concourse<br>Diving Allowed |
|-----|-----------------------------------|---------|-------------|-----------------------------|
|     | Water Depth @1m                   | 1.4m    |             |                             |
|     | Water Depth @6m                   | 1.5m    |             |                             |
|     | Water Depth @15m                  | 1.66m   | 4           | YES                         |
| I.  | Concourse Height<br>(Above water) |         |             |                             |
| The |                                   |         |             |                             |
| 4   | Block                             | Front   | Back/Kicker | Block Diving<br>Allowed     |
|     | Height (above water)              |         |             |                             |
|     | Width                             | 64      | 10mm        | YES                         |
|     | Depth                             | 78      | 30mm        |                             |

#### DEEP END

Block Type: OMEGA OSB11 Touchpads: OMEGA Touchpads set FINA 240X90 Backstroke Ledge: N/A Timing System: OMEGA QUANTUM Primary

|  | Pool                       | Measure | SAL Policy    | Concourse<br>Diving Allowed |
|--|----------------------------|---------|---------------|-----------------------------|
|  | Water Depth @1m            | 2.16m   |               |                             |
|  | Water Depth @6m            |         |               |                             |
|  | Water Depth @15m           | 2.14m   | 4             | YES                         |
|  | Water Depth @25m           | 1.9m    |               |                             |
|  | Concourse Height           |         |               |                             |
|  | <mark>(Above water)</mark> |         |               |                             |
|  |                            |         |               |                             |
|  | Block                      | Front   | Back / Kicker | Block Diving<br>Allowed     |
|  | Height (above water)       |         |               |                             |
|  | Width                      | 64      | 40mm          | YES                         |
|  | Depth                      | 78      | 80mm          |                             |

# WULANDA RECREATION AND CONVENTION CENTRE (MT GAMBIER - 25M) Updated 04/01/23

| Lane   | Surface | 500mm Below | <mark>Width</mark> |
|--------|---------|-------------|--------------------|
| Lane 1 | 25.028m | 25.025m     | 2.31m              |
| Lane 2 | 25.031m | 25.028m     | 2.31m              |
| Lane 3 | 25.030m | 25.023m     | 2.31m              |
| Lane 4 | 25.031m | 25.026m     | 2.31m              |
| Lane 5 | 25.027m | 25.023m     | 2.31m              |
| Lane 6 | 25.033m | 25.028m     | 2.31m              |
| Lane 7 | 25.034m | 25.023m     | 2.31m              |
| Lane 8 | 25.033m | 25.026m     | 2.31m              |

#### Measured by: Consultant / Surveyor | National | State | District | Club

#### SHALLOW END

Block Type: OMEGA OSB11 Touchpads: OMEGA Touchpads set FINA 240X90 Backstroke Ledge: N/A

Timing System: OMEGA QUANTUM Primary

|   | Pool                       | Measure | SAL Policy | Concourse<br>Diving Allowed |
|---|----------------------------|---------|------------|-----------------------------|
|   | Water Depth @1m            |         |            |                             |
|   | Water Depth @6m            |         |            |                             |
|   | Water Depth @15m           |         | 4          | YES                         |
|   | Concourse Height           |         |            |                             |
|   | <mark>(Above water)</mark> |         |            |                             |
| ~ |                            |         |            |                             |
| 4 | Block                      | Front   | Back       | Block Diving<br>Allowed     |
|   | Height (above water)       |         |            |                             |
|   | Width                      | 64      | 10mm       | YES                         |
|   | Depth                      | 78      | 30mm       |                             |

#### DEEP END

Block Type: OMEGA OSB11 Touchpads: OMEGA Touchpads set FINA 240X90 Backstroke Ledge: N/A Timing System: OMEGA QUANTUM Primary

|  | Pool                 | Measure | SAL Policy    | Concourse<br>Diving Allowed |
|--|----------------------|---------|---------------|-----------------------------|
|  | Water Depth @1m      |         | 4             | YES                         |
|  | Water Depth @6m      |         |               |                             |
|  | Water Depth @15m     |         |               |                             |
|  | Water Depth @25m     |         |               |                             |
|  | Concourse Height     |         |               |                             |
|  | (Above water)        |         |               |                             |
|  |                      |         |               |                             |
|  | Block                | Front   | Back / Kicker | Block Diving<br>Allowed     |
|  | Height (above water) |         |               |                             |
|  | Width                | 640mm   |               | YES                         |
|  | Depth                | 78      | 80mm          |                             |

# MURRAY BRIDGE SWIMMING CENTRE

Updated 25/11/2023



#### Measured by: Consultant / Surveyor | National | State | District | Club

| Lane                 | Lane Number | Length | Width |
|----------------------|-------------|--------|-------|
| Outside Lane (left)  | 8           | 50.02m | 2.25m |
| Outside Lane (right) | 1           | 50.02m | 2.25m |
| Middle Lane          | 4           | 50.02m | 2.25m |

#### SHALLOW END

Block Type: No Blocks

Backstroke Ledge: N/A

| ,,        |                      |                    |            |                             |  |
|-----------|----------------------|--------------------|------------|-----------------------------|--|
|           | Pool                 | Measure            | SAL Policy | Concourse Diving<br>Allowed |  |
|           | Water Depth @1m      | 1100mm             |            | NO – If Turn                |  |
|           | Water Depth @6m      | 1200mm             | 2          | panel in use                |  |
|           | Water Depth @15m     | 1500mm             |            |                             |  |
|           | Concourse Height     | Wet deck 0-30mm    |            | YES – If Turn               |  |
| No Blocks | (Above water)        | + 310mm Turn Panel |            | panel not in use            |  |
|           |                      |                    |            |                             |  |
|           | Block                | Front              | Back       | Block Diving<br>Allowed     |  |
|           | Height (above water) | N/A                | N/A        |                             |  |
|           | Width                |                    | N/A        | NO                          |  |
|           | Depth                |                    | N/A        |                             |  |

#### DEEP END

Block Type: SR Smith LR 850 + 2m Turn Panel w <mark>Touchpad Bracket</mark>

|                        | Pool                 | Measure            | SAL Policy    | Concourse Diving<br>Allowed |
|------------------------|----------------------|--------------------|---------------|-----------------------------|
|                        | Water Depth @1m      | 3150mm             |               |                             |
|                        | Water Depth @6m      | 3150mm             | 4             | NO – If Turn                |
| 1 1.                   | Water Depth @15m     | 1800mm             |               | panel in use                |
|                        | Water Depth @25m     | 1600mm             |               | YES – If Turn               |
| 5                      | Concourse Height     | Wet Deck 0-30mm    |               | panel not in use            |
| T                      | (Above water)        | + 310mm Turn Panel |               |                             |
| A summer of the second |                      | 1                  |               |                             |
|                        | Block                | Front              | Back / Kicker | Block Diving<br>Allowed     |
|                        | Height (above water) | 700mm              | 815mm         |                             |
|                        | Width                | 570mm              |               | YES                         |
|                        | Depth                | 67                 | 70mm          |                             |

# NOARLUNGA AQUATIC CENTRE - 25M (SOUTHERN PERFORMANCE)

#### Updated 13/09/2018

- (a) Shallow end 2000mm deep: No Blocks and concourse height above water 195mm (SAL Policy 2d applies diving to a maximum of 750mm) **diving from concourse is OK**
- (b) Deep end 2000mm deep: Block height above water 350mm and concourse height above water 195mm (SAL Policy 2d applies diving to a maximum of 750mm) - diving from blocks or concourse is OK

#### NOARLUNGA AQUATIC CENTRE - 50M (SOUTHERN PERFORMANCE)

#### Updated 04/04/2017

- (a) Shallow End: No Diving until pool is remeasured
- (b) Deep end: No Diving until pool is remeasured

# NORWOOD SWIM SCHOOL

#### Updated 10/09/18

#### (Blocks at deep end only during competition)

- (a) Shallow end 1100mm deep: concourse height above water 310mm (SAL Policy 2b applies diving to a maximum of 400mm) **diving from concourse is ok**
- (b) Deep end 1260mm deep: Block height above water 510mm and concourse height above water 310mm (SAL Policy 2c applies diving to a maximum of 750mm) diving from blocks or concourse is ok

#### NORWOOD SWIMMING CENTRE Updated 04/12/2023



## Measured by: Consultant / Surveyor | National | State | District | Club

| Lane                 | Lane Number | Length | Width |
|----------------------|-------------|--------|-------|
| Outside Lane (left)  | 6           | 50.2m  | 2.03m |
| Outside Lane (right) | 1           | 50.2m  | 2.08m |
| Middle Lane          | 3           | 50.2m  | 2.07m |

#### SHALLOW END

Block Type: No Blocks

Backstroke Ledge: N/A

|           | Pool                              | Measure | SAL Policy | Concourse Diving<br>Allowed |
|-----------|-----------------------------------|---------|------------|-----------------------------|
|           | Water Depth @1m                   | 930mm   |            |                             |
|           | Water Depth @6m                   | 1100mm  |            |                             |
|           | Water Depth @15m                  | 1200mm  | 1          | NO                          |
| No Blocks | Concourse Height<br>(Above water) | 310mm   |            |                             |
|           | Block                             | Front   | Back       | Block Diving<br>Allowed     |
|           | Height (above water)              | N/A     | N/A        |                             |
|           | Width                             | 1       | N/A        | NO                          |
|           | Depth                             | 1       | N/A        |                             |

#### DEEP END

Block Type: Cement

|                             | Pool                 | Measure            | SAL Policy         | Concourse Diving<br>Allowed |
|-----------------------------|----------------------|--------------------|--------------------|-----------------------------|
|                             | Water Depth @1m      | 2600mm             | - 4                | YES                         |
|                             | Water Depth @6m      | 2700mm             |                    |                             |
|                             | Water Depth @15m     | 1550mm             |                    |                             |
|                             | Water Depth @25m     | 1370mm             |                    |                             |
| A CONTRACT OF A CONTRACT OF | Concourse Height     | 400mm              |                    |                             |
| See Burney                  | (Above water)        | 400mm              |                    |                             |
| A COLORADOR                 |                      |                    |                    |                             |
|                             | Block                | Front              | Back / Kicker      | Block Diving<br>Allowed     |
|                             | Height (above water) | <mark>715mm</mark> | <mark>735mm</mark> | Needs to be                 |
|                             | Width                | 45                 | i0mm               | Needs to be<br>remeasured   |
|                             | Depth                | 31                 | .5mm               | remeasureu                  |

# NURIOOTPA WAR MEMORIAL SWIMMING POOL (BAROSSA)

Updated 07/11/2023

Measured by: Consultant / Surveyor | National | State | District | Club

| Lane                 | Lane Number | Length | Width  |
|----------------------|-------------|--------|--------|
| Outside Lane (left)  | 6           | 50m    | 1700mm |
| Outside Lane (right) | 1           | 50m    | 1650mm |
| Middle Lane          | 3/4         | 50m    | 1880mm |

#### SHALLOW END

Block Type: No Blocks

|  | Pool                              | Measure           | SAL Policy | Concourse<br>Diving Allowed |
|--|-----------------------------------|-------------------|------------|-----------------------------|
|  | Water Depth @1m                   | 1000m             |            |                             |
|  | Water Depth @6m                   | 1000m             |            |                             |
| an and the states  | Water Depth @15m                  |                   | 2a         | NO                          |
| - The state of the | Concourse Height<br>(Above water) | Old measure 240mm |            |                             |
|  |                                   |                   |            |                             |
|  | Block                             | Front             | Back       | Block Diving<br>Allowed     |
|  | Height (above water)              | N/A               | N/A        |                             |
|  | Width                             | 1                 | N/A        | NO                          |
|  | Depth                             | I                 | N/A        |                             |

#### Actions Required:

- 6. Measure depth at 15m and remeasure at 1m from wall at shallow end
- 7. No diving at shallow end
- 8. Prior to use coaches & officials must familiarise themselves and swimmers of the surroundings using the Swimming Australia Competitive Dive Entry Preparation Checklist.

#### **DEEP END**

Block Type: Anti Wave 650 Launch with Quick Release Anchor-Model /Item # 25-61-065R (0823/392) Backstroke Ledge: N/A

|      | Pool                       | Measure   | SAL Policy    | Concourse<br>Diving Allowed |
|------|----------------------------|-----------|---------------|-----------------------------|
|      | Water Depth @1m            | 2000mm    |               |                             |
| E AV | Water Depth @6m            | 1900mm    |               |                             |
|      | Water Depth @15m           | 1700mm    | 2d            | YES                         |
|      | Water Depth @25m           | 1500mm    | 20            | TES                         |
|      | Concourse Height           | Remeasure |               |                             |
| 3    | <mark>(Above water)</mark> | 200mm     |               |                             |
|      |                            |           |               |                             |
|      | Block                      | Front     | Back / Kicker | Block Diving<br>Allowed     |
|      | Height (above water)       | 600mm     | 630mm         |                             |
|      | Width                      | 57        | ′0mm          | YES                         |
|      | Depth                      | 74        | 10mm          |                             |

# ORROROO SWIMMING POOL

# Updated 16/12/2018

# (No blocks at either end)

- (a) Shallow end 950mm deep: concourse height above water 300mm (SAL Policy 2a applies less than 1m no diving) NO DIVING
- (b) Deep end 2050mm deep: concourse height above water 300mm (SAL Policy 2d applies diving to a maximum of 750mm) **diving from concourse is OK**

### PAYNEHAM MEMORIAL SWIMMING CENTRE

#### **Closed for Renovations**

#### Last Measured: 16/10/18 – Blocks at Deep End Only

#### No Diving permitted without updated pool specification form being submitted.

Previous Measurements

Shallow end 1150mm deep: No Blocks and Concourse height above water 340mm Deep end 1790mm deep: Block height above water 700mm and concourse height above water 340mm

### PENOLA SWIMMING POOL Updated 21/11/2023

Measured by: Consultant / Surveyor | National | State | District | Club



| Lane                 | Lane Number | Length | Width |
|----------------------|-------------|--------|-------|
| Outside Lane (left)  | 1           | 30m    | 1.8m  |
| Outside Lane (right) | 5           | 30m    | 1.8m  |
| Middle Lane          | 3           | 30m    | 1.8m  |

#### SHALLOW END

Block Type: No Blocks

|           | Pool                              | Measure | SAL Policy | Concourse<br>Diving Allowed |
|-----------|-----------------------------------|---------|------------|-----------------------------|
|           | Water Depth @1m                   | 920mm   |            |                             |
|           | Water Depth @6m                   | 1000mm  |            |                             |
|           | Water Depth @15m                  | 1200mm  | 1          | NO                          |
| NO Blocks | Concourse Height<br>(Above water) | 150mm   |            |                             |
|           |                                   |         |            |                             |
|           | Block                             | Front   | Back       | Block Diving<br>Allowed     |
|           | Height (above water)              | N/A     | N/A        |                             |
|           | Width                             |         | N/A        | NO                          |
|           | Depth                             |         | N/A        |                             |

#### DEEP END

Block Type: No Blocks

#### Backstroke Ledge: No Ledge

|           | Pool                 | Measure | SAL Policy    | Concourse<br>Diving Allowed |
|-----------|----------------------|---------|---------------|-----------------------------|
|           | Water Depth @1m      | 2750mm  |               |                             |
|           | Water Depth @6m      | 2200mm  | 4             |                             |
|           | Water Depth @15m     | 1200mm  |               | YES                         |
|           | Water Depth @15m     | 1200mm  |               |                             |
| No Blocks | Concourse Height     | 150     |               |                             |
|           | (Above water)        | 150mm   |               |                             |
|           | Block                |         |               | Block Diving                |
|           | DIOCK                | Front   | Back / Kicker | Allowed                     |
|           | Height (above water) | N/A     | N/A           | NO                          |
|           | Width                | N/A     |               | NO                          |

| Depth | N/A |  |
|-------|-----|--|
|-------|-----|--|

### PINNAROO SWIMMING POOL (MALLEE) Updated 06/11/2022

#### Measured by: Consultant / Surveyor | National | State | District | Club



| Lane                 | Lane Number | Length | Width |
|----------------------|-------------|--------|-------|
| Outside Lane (left)  | 6           | 25.03m | 1.89m |
| Outside Lane (right) | 1           | 25.03m | 1.95m |
| Middle Lane          | 3           | 25.03m | 1.82m |

#### SHALLOW END

Block Type: N/A

|           | Pool             | Measure | SAL Policy | Concourse<br>Diving Allowed |
|-----------|------------------|---------|------------|-----------------------------|
|           | Water Depth @1m  | 1130mm  |            |                             |
| NO BLOCKS | Water Depth @6m  | 1320mm  | 2          | YES                         |
|           | Water Depth @15m | 2140mm  |            |                             |
|           | Concourse Height | 100mm   |            |                             |
|           | (Above water)    | 100mm   |            |                             |

#### DEEP END

Block Type: N/A

|           | Pool                              | Measure | SAL Policy | Concourse<br>Diving Allowed |
|-----------|-----------------------------------|---------|------------|-----------------------------|
|           | Water Depth @1m                   | 2970mm  |            |                             |
|           | Water Depth @6m                   | 2940mm  |            |                             |
| NO BLOCKS | Water Depth @15m                  | 1500mm  | 4          | YES                         |
|           | Water Depth @12.5m                | 1840mm  | 4          | TES                         |
|           | Concourse Height<br>(Above water) | 100mm   |            |                             |

### RYAN MITCHELL SWIM CENTRE (PORT AUGUSTA) Updated 04/12/2023

#### Measured by: Consultant / Surveyor | National | State | District | Club



| Lane                 | Lane Number | <mark>Length</mark> | Width |
|----------------------|-------------|---------------------|-------|
| Outside Lane (left)  | 5           | <mark>50m</mark>    | 2000m |
| Outside Lane (right) | 1           | <mark>50m</mark>    | 2100m |
| Middle Lane          | 3           | <mark>50m</mark>    | 2500m |

#### SHALLOW END

Block Type: N/A

|           | Pool                              | Measure | SAL Policy | Concourse<br>Diving Allowed |
|-----------|-----------------------------------|---------|------------|-----------------------------|
|           | Water Depth @1m                   | 1400mm  |            |                             |
|           | Water Depth @6m                   | 1260mm  |            |                             |
|           | Water Depth @15m                  | 1770mm  | 3          | YES                         |
| NO BLOCKS | Concourse Height<br>(Above water) | 160mm   |            |                             |
|           | Block                             | Front   | Back       |                             |
|           | Height (above water)              | N/A     | N/A        | NO                          |
|           | Width                             |         | N/A        | NO                          |
|           | Depth                             |         | N/A        |                             |

#### DEEP END

Block Type: SR Smith Velocity Starting Block Model: 25-61-820A

Backstroke Ledge: N/A

|     | Pool                 | Measure | SAL Policy | Concourse<br>Diving Allowed |
|-----|----------------------|---------|------------|-----------------------------|
|     | Water Depth @1m      | 2000mm  |            |                             |
|     | Water Depth @6m      | 1950mm  | 4          |                             |
|     | Water Depth @15m     | 1770mm  |            | YES                         |
|     | Water Depth @25m     | 1580mm  |            | TES                         |
| 111 | Concourse Height     | 100     |            |                             |
|     | (Above water)        | 180mm   |            |                             |
|     |                      |         |            |                             |
|     | Block                | Front   | Back       |                             |
|     | Height (above water) | 580mm   | 730mm      | YES                         |
|     | Width                | 71      | 5mm        | TES                         |
|     | Depth                | 81      | 7mm        |                             |

### PORT LINCOLN LEISURE CENTRE (WEST COAST) Updated 18/02/2023

#### Measured by: Consultant / Surveyor | National | State | District | Club

| Lane                 | Lane Number | Length | Width |
|----------------------|-------------|--------|-------|
| Outside Lane (left)  | 6           | 25m    | 2.2m  |
| Outside Lane (right) | 1           | 25m    | 2.2m  |
| Middle Lane          | 3           | 25m    | 2.2m  |

#### SHALLOW END

Block Type: No Blocks

|           | Pool                              | Measure  | SAL Policy | Concourse<br>Diving Allowed |
|-----------|-----------------------------------|----------|------------|-----------------------------|
|           | Water Depth @1m                   | 1100mm   |            |                             |
|           | Water Depth @6m                   | 1350mm   |            |                             |
|           | Water Depth @15m                  | 1760mm   | 2          | YES                         |
| NO Blocks | Concourse Height<br>(Above water) | Wet deck |            |                             |
|           |                                   |          |            |                             |
|           | Block                             | Front    | Back       | Block Diving<br>Allowed     |
|           | Height (above water)              | N/A      | N/A        |                             |
|           | Width                             |          | N/A        | NO                          |
|           | Depth                             |          | N/A        |                             |

#### DEEP END

Block Type: Anti Wave 400 Backstroke Ledge: No Ledge

|           | Pool                 | Measure  | SAL Policy    | Concourse<br>Diving Allowed |
|-----------|----------------------|----------|---------------|-----------------------------|
|           | Water Depth @1m      | 1970mm   |               |                             |
|           | Water Depth @6m      | 1900mm   |               |                             |
|           | Water Depth @15m     | 1520mm   | 4             | YES                         |
| The state | Water Depth @12.5m   | 1650mm   | 4             | TES                         |
|           | Concourse Height     | Wet Deck |               |                             |
|           | (Above water)        | Wel Deck |               |                             |
| 317       |                      |          |               |                             |
| anti      | Block                | Front    | Back / Kicker | Block Diving<br>Allowed     |
|           | Height (above water) | 580mm    | 690mm         |                             |
|           | Width                | 59       | )<br>0mm      | YES                         |
|           | Depth                | 60       | )0mm          |                             |

### PORT PIRIE AQUATIC LEISURE CENTRE

### Updated 08/01/2019

#### (Blocks at both end)

- (a) Shallow End 1250mm deep: Block height above water 730mm and concourse height above water 290mm (SAL Policy 2c applies diving to a maximum of 750mm) diving from blocks or concourse is ok
- (b) Deep End 2090mm deep: Block height above water 740mm and concourse height above water 290mm 9SAL Policy 2d applies diving to a maximum of 750mm) **diving from blocks or concourse is ok.**

#### PRINCE ALFRED COLLEGE RED CENTRE (KENT TOWN SWIM) Updated 25/11/2023



# Measured by: Consultant / Surveyor | National | State | District | Club

| Lane                 | Lane Number | Length | Width  |
|----------------------|-------------|--------|--------|
| Outside Lane (left)  | 8           | 25m    | 2320mm |
| Outside Lane (right) | 1           | 25m    | 2320mm |
| Middle Lane          | 4           | 25m    | 2280mm |

#### SHALLOW END

Block Type: No Blocks

|           | Pool                              | Measure | SAL Policy | Concourse<br>Diving Allowed |
|-----------|-----------------------------------|---------|------------|-----------------------------|
|           | Water Depth @1m                   | 1150mm  |            |                             |
|           | Water Depth @6m                   | 1200mm  |            |                             |
|           | Water Depth @15m                  | 2000mm  | 2          | YES                         |
| No Blocks | Concourse Height<br>(Above water) | 240mm   |            |                             |
|           |                                   |         |            |                             |
|           | Block                             | Front   | Back       | Block Diving<br>Allowed     |
|           | Height (above water)              | N/A     | N/A        |                             |
|           | Width                             |         | N/A        | NO                          |
|           | Depth                             |         | N/A        |                             |

#### DEEP END

Block Type: OMEGA OSB 14

#### Backstroke Ledge: No Ledge

|   | Pool                 | Measure            | SAL Policy    | Concourse<br>Diving Allowed |
|---|----------------------|--------------------|---------------|-----------------------------|
|   | Water Depth @1m      | 1250m              |               |                             |
|   | Water Depth @6m      | 1350m              |               |                             |
|   | Water Depth @15m     | 2000m              | 3             | YES                         |
|   | Water Depth @12.5m   | 2000m              |               |                             |
| 8 | Concourse Height     | 240mm              |               |                             |
| 0 | (Above water)        | 240mm              |               |                             |
|   |                      |                    |               |                             |
|   | Block                | Front              | Back / Kicker | Block Diving<br>Allowed     |
|   | Height (above water) | <mark>550mm</mark> | 660mm         | VEC                         |
|   | Width                | 51                 | L0mm          | YES                         |

|       | Depth | 740mm |  |
|-------|-------|-------|--|
| 8 0.1 |       |       |  |
|       |       |       |  |

#### QUORN SWIMMING POOL Updated 25/11/2023

Measured by: Consultant / Surveyor | National | State | District | Club



| Lane                 | Lane Number | Length | Width |
|----------------------|-------------|--------|-------|
| Outside Lane (left)  | 6           | 25m    | 2.1m  |
| Outside Lane (right) | 1           | 25m    | 2.1m  |
| Middle Lane          | 3           | 25m    | 2.1m  |

#### SHALLOW END

Block Type: No Blocks

|           | Pool                 | Measure  | SAL Policy | Concourse<br>Diving Allowed |
|-----------|----------------------|----------|------------|-----------------------------|
|           | Water Depth @1m      | 1200mm   |            |                             |
|           | Water Depth @6m      | 1300mm   |            |                             |
|           | Water Depth @15m     | 3600mm   | 3          | YES                         |
|           | Concourse Height     | Wet Deck |            |                             |
| NO Blocks | (Above water)        | 0mm      |            |                             |
|           |                      |          |            |                             |
|           | Block                | Front    | Back       | Block Diving<br>Allowed     |
|           | Height (above water) | N/A      | N/A        |                             |
|           | Width                | 1        | N/A        | NO                          |
|           | Depth                |          | N/A        |                             |

#### DEEP END

Block Type: Pooldeck/Aqueas AQ-SP02 Backstroke Ledge: No Ledge Diving Board: Yes Pool Concourse Measure **SAL Policy Diving Allowed** Water Depth @1m 3600mm Water Depth @6m 3600mm Water Depth @15m 1400mm YES 4 Water Depth @12.5m 1600mm Concourse Height 260mm (Above water) Block **Block Diving** Front Back / Kicker Allowed 610mm Height (above water) 680mm Width 500mm YES 500mm Depth

# RENMARK SWIMMING CENTRE





#### Measured by: Consultant / Surveyor | National | Club

| Lane                 | Lane Number | Length | Width |
|----------------------|-------------|--------|-------|
| Outside Lane (left)  | 1           | 50.03m | 2.5m  |
| Outside Lane (right) | 8           | 50.03m | 2.5m  |
| Middle Lane          | 4           | 50.03m | 2.5m  |

#### SHALLOW END

Block Type: Anti

| Pool                              | Measure | SAL Policy | Concourse<br>Diving Allowed |
|-----------------------------------|---------|------------|-----------------------------|
| Water Depth @1m                   | 1100mm  | -          |                             |
| Water Depth @6m                   | 1200mm  |            |                             |
| Water Depth @15m                  | 1500mm  | 2          | YES                         |
| Concourse Height<br>(Above water) | 150mm   |            |                             |
|                                   |         |            |                             |
| Block                             | Front   | Back       | Block Diving<br>Allowed     |
| Height (above water)              | 350mm   | 398mm      |                             |
| Width                             | 50      | 0mm        | YES                         |
| Depth                             | 50      | 00mm       |                             |

#### DEEP END

Block Type: Anti Wave 650 Launch with Quick Release Anchor Model /Item # 25-61-065R Backstroke Ledge: PLAWE350 - Anti Backstroke Ledge

| Pool                              | Measure | SAL Policy    | Concourse<br>Diving Allowed |
|-----------------------------------|---------|---------------|-----------------------------|
| Water Depth @1m                   | 2100mm  |               |                             |
| Water Depth @6m                   | 2040mm  |               |                             |
| Water Depth @15m                  | 2000mm  | 4             | YES                         |
| Water Depth @25m                  | 1900mm  | 4             | TES                         |
| Concourse Height<br>(Above water) | 150mm   |               |                             |
|                                   |         |               |                             |
| Block                             | Front   | Back / Kicker | Block Diving<br>Allowed     |
| Height (above water)              | 550mm   | 650mm         | VEC                         |
| Width                             | 55      | 50mm          | YES                         |

| Depth | 650mm |  |
|-------|-------|--|
|-------|-------|--|

# ALAN COULTER RECREATION CENTRE (RENMARK)



#### Updated 05/10/2018

- (a) Shallow end 1200mm deep: No Blocks. Concourse height above water 300mm (SAL Policy 2c applies diving to a maximum of 750mm) **Diving from concourse is OK**
- (b) Deep end 1800mm deep: Block height above water 700mm and concourse height above water 300mm (SAL Policy 2d applies diving to a maximum of 750mm) diving from blocks or concourse is OK

### **SA AQUATIC & LEISURE CENTRE**

#### Updated 01/10/2018

(a) Competition Pool (50m & 25m Configuration) - Both Ends (Consistent Pool Depth) 3000mm deep: Block height above water 700mm and concourse/boom height above water 300mm (SAL Policy 2d applies diving to a maximum of 750mm) - diving from concourse and blocks is OK

#### (b) Dive/Water Polo Pool

25m Configuration (north-south): Consistent pool depth 3000mm deep: South End - Block height above water 700mm and concourse height above water 300mm. North End – No Blocks or concourse. Wet Deck used concourse height above water 0mm. (SAL Policy 2d applies diving to a maximum of 750mm) - diving from concourse and blocks is OK

25m Configuration (east-west): Consistent pool depth 3000mm deep: Block height above water 700mm and concourse height above water 300mm (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse and blocks is OK** 

50m Configuration (east-west): West End - Pool Depth 3000mm deep: Block height above water 700mm and concourse height above water 0mm. East End – Pool Depth 5000mm deep: no blocks and concourse height above water 300mm. (SAL Policy 2d applies diving to a maximum of 750mm) - **diving from concourse or blocks is OK** 

### SALISBURY SWIMMING CENTRE

# Updated 26/10/2017

- (a) Shallow End: No Diving until pool is remeasured
- (b) Deep End: No Diving until pool is remeasured

### SEATON SWIM CENTRE (NORWOOD)

### Updated 05/09/2018

#### (no blocks)

- (a) Shallow end 820mm deep: Concourse height above water 190mm (SAL Policy 2a applies less than 1 metre no diving) NO Diving
- (b) Deep end 1150mm deep: Concourse height above water 190mm 240mm (SAL Policy 2b applies diving to a maximum of 400mm) **Diving from concourse is ok**

### SILVER CITY SWIM CENTRE Updated 16/11/2023

#### Measured by: Consultant / Surveyor | National | State | District | Club

| Lane                 | Lane Number | Length  | Width  |
|----------------------|-------------|---------|--------|
| Outside Lane (left)  | 1           | 24990mm | 2490mm |
| Outside Lane (right) | 3           | 24990mm | 2490mm |
| Middle Lane          | 2           | 24990mm | 2490mm |

#### SHALLOW END

Block Type: No Blocks

|           | Pool                              | Measure | SAL Policy | Concourse<br>Diving Allowed |
|-----------|-----------------------------------|---------|------------|-----------------------------|
|           | Water Depth @1m                   | 1350mm  |            |                             |
|           | Water Depth @6m                   | 1350mm  |            |                             |
|           | Water Depth @15m                  | 1350mm  | 4          | YES                         |
| No Blocks | Concourse Height<br>(Above water) | 0mm     |            |                             |
|           |                                   |         |            |                             |
|           | Block                             | Front   | Back       | Block Diving<br>Allowed     |
|           | Height (above water)              | N/A     | N/A        |                             |
|           | Width                             |         | N/A        | NO                          |
|           | Depth                             |         | N/A        |                             |

#### DEEP END

Block Type: OSB 11

|   | Pool                 | Measure  | SAL Policy    | Concourse<br>Diving Allowed |
|---|----------------------|----------|---------------|-----------------------------|
|   | Water Depth @1m      | 1350mm   |               |                             |
| 1 | Water Depth @6m      | 1350mm   |               |                             |
|   | Water Depth @15m     | 1350mm   | 4             | YES                         |
|   | Water Depth @12.5m   | 1350mm   | 4             | TES                         |
|   | Concourse Height     | 130mm    |               |                             |
|   | (Above water)        | 13011111 |               |                             |
|   |                      |          |               |                             |
|   | Block                | Front    | Back / Kicker | Block Diving<br>Allowed     |
|   | Height (above water) | 580mm    | 670mm         |                             |
|   | Width                | 52       | 20mm          | YES                         |
|   | <mark>Depth</mark>   |          |               |                             |

### STATE SWIM CLOVERCREST

# Updated 18/09/2018

#### (Blocks at both ends)

- (a) Shallow end 830mm deep: Concourse height above water 190mm (SAL Policy 2a applies less than 1 meter no diving) NO Diving
- (b) Deep end 1280mm deep: Block height above water 470mm and concourse height above water 190mm (SAL Policy 2c applies diving to a maximum of 750mm) diving from blocks or concourse is OK

### STATE SWIM SEAFORD (SOUTHERN PERFORMANCE)

### Updated 31/03/2017

- (a) Shallow End: No Diving until pool is remeasured
- (b) Deep End: No Diving until pool is remeasured

### STRATHALBYN SWIMMING POOL

### Updated 30/10/2020

- (a) Shallow End 1250mm deep: Block height above water 650mm and Concourse height above water 290mm (SAL Policy 2c applies diving to a maximum of 750mm) **diving from blocks or concourse is OK**.
- (b) Deep End 1800mm deep: Block height above water 650mm and Concourse height above water 290mm (SAL Policy 2d applies diving to a maximum of 750mm) **diving from blocks or concourse is OK**.

### THE ARC CAMPBELLTOWN (TEA TREE GULLY) Updated 07/11/2023

#### Measured by: Consultant / Surveyor | National | State | District | Venue | Club



| Lane                 | Lane Number | Length | Width |
|----------------------|-------------|--------|-------|
| Outside Lane (left)  | 1           | 25m    | 2.75m |
| Outside Lane (right) | 8           | 25m    | 2.75m |
| Middle Lane          | 4           | 25m    | 2.5m  |

#### SHALLOW END

Block Type: No Blocks

|           | Pool                              | Measure | SAL Policy | Concourse<br>Diving Allowed |
|-----------|-----------------------------------|---------|------------|-----------------------------|
|           | Water Depth @1m                   | 900mm   |            |                             |
|           | Water Depth @6m                   | 1200mm  |            |                             |
|           | Water Depth @15m                  | 1600mm  | 1          | NO                          |
| No Blocks | Concourse Height<br>(Above water) | 230mm   |            |                             |
|           |                                   |         |            |                             |
|           | Block                             | Front   | Back       | Block Diving<br>Allowed     |
|           | Height (above water)              | N/A     | N/A        |                             |
|           | Width                             |         | N/A        | NO                          |
|           | Depth                             |         | N/A        |                             |

#### DEEP END

Block Type: Anti Wave 650 w SafeStart handles Model /Item # PLAW00060 Backstroke Ledge: N/A

| Pool                              | Measure   | SAL Policy   | Concourse<br>Diving Allowed  |
|-----------------------------------|---|--|--|
| Water Depth @1m                   | 1800mm  |  |  |
| Water Depth @6m                   | 1750mm  |  |  |
| Water Depth @15m                  | 1370mm  |  | VEC  |
| Water Depth @12.5m                | 1470mm  | 4  | YES  |
| Concourse Height<br>(Above water) | 230mm   |  |  |
| ( ,                               |   |  |  |
| Block                             | Front   | Back / Kicker  | Block Diving<br>Allowed  |
| Height (above water)              | 650mm   | 800mm  |  |
| Width                             | 57  | 70mm   | YES  |
| Depth                             | 65  | 50mm   |  |
|                                   | Water Depth @1m<br>Water Depth @6m<br>Water Depth @15m<br>Water Depth @12.5m<br>Concourse Height<br>(Above water)<br>Block<br>Height (above water)<br>Width | Water Depth @1m1800mmWater Depth @6m1750mmWater Depth @15m1370mmWater Depth @12.5m1470mmConcourse Height<br>(Above water)230mmBlockFrontHeight (above water)650mmWidth51 | MeasureSAL PolicyWater Depth @1m1800mmWater Depth @6m1750mmWater Depth @15m1370mmWater Depth @12.5m1470mmConcourse Height<br>(Above water)230mmBlockFrontBlockFrontHeight (above water)650mmWidth570mm |

### THE AQUADOME POOL (PLAYFORD AQUATIC)

### Updated 27/08/18

#### (No blocks at shallow end)

- (a) Shallow end 1090mm deep: Concourse height above water 190mm diving from concourse is ok. Pool must be remeasured before each competition and before each day of a multi-day competition.
- (b) Deep end 1800mm deep: Block height above water 600mm and Concourse height above water 190mm (SAL Policy 2d applies diving to a maximum of 750mm) **diving from blocks or concourse is OK**.

# THEBARTON AQUATIC CENTRE (HENLEY & GRANGE)

#### **Closed for Renovations**

Last Measured: 16/09/18 – Blocks at Deep End Only

#### No Diving permitted without updated pool specification form being submitted.

Previous Measurements

Shallow end 980mm deep: No Blocks and Concourse height above water 200mm Deep end 3050mm deep: Block height above water 610mm and Concourse height above water 220mm

### THE PARKS RECREATION & SPORTS CENTRE

# Updated 14/10/2020

#### (Blocks at both ends)

- (a) Shallow end 1380mm deep: Block height above water 450mm and concourse height above water 0mm (SAL Policy 2d applies diving to a maximum of 750mm) diving from blocks or concourse is ok.
- (b) Deep end 1800mm deep: Block height above water 450mm and concourse height above water 0mm (SAL Policy 2d applies diving to a maximum of 750mm) **diving from blocks or concourse is OK**.

### TRINITY COLLEGE POOL (STARPLEX)

# Updated 02/11/2020

- (a) Shallow end 900mm deep: Concourse height above water 405mm (SAL Policy 2a applies less than 1 metre no diving) NO Diving Allowed
- (b) Deep end 1800mm deep: Block height above water 620mm and concourse height above water 405mm (SAL Policy 2d applies diving to a maximum of 750mm) **diving from blocks or concourse is OK**.

#### UNLEY SWIMMING CENTRE Updated 23/11/2022

#### Measured by: Consultant / Surveyor | National | State | District | Club | Venue

| Lane                 | Lane Number | Length | Width |
|----------------------|-------------|--------|-------|
| Outside Lane (left)  | 8           | 50m    | 2.7m  |
| Outside Lane (right) | 1           | 50m    | 2.7m  |
| Middle Lane          | 5           | 50m    | 2.5m  |

#### SHALLOW END

Block Type: N/A

|                | Pool                              | Measure | SAL Policy | Concourse<br>Diving Allowed |
|----------------|-----------------------------------|---------|------------|-----------------------------|
|                | Water Depth @1m                   | 1200mm  |            |                             |
|                | Water Depth @6m                   | 1240mm  |            |                             |
|                | Water Depth @15m                  | 1250mm  | 2c         | YES                         |
| Not Applicable | Concourse Height<br>(Above water) | 280mm   |            |                             |
|                |                                   |         |            |                             |
|                | Block                             | Front   | Back       | Block Diving<br>Allowed     |
|                | Height (above water)              | N/A     | N/A        |                             |
|                | Width                             |         | N/A        | NO                          |
|                | Depth                             |         | N/A        |                             |

#### DEEP END

Block Type: SR Smith Backstroke Ledge: N/A

|     | Pool                 | Measure | SAL Policy    | Concourse<br>Diving Allowed |
|-----|----------------------|---------|---------------|-----------------------------|
|     | Water Depth @1m      | 2100mm  |               |                             |
|     | Water Depth @6m      | 2100mm  |               |                             |
|     | Water Depth @15m     | 2000mm  | 2d            | YES                         |
|     | Water Depth @25m     | 1700mm  | 20            | TES                         |
|     | Concourse Height     | 280mm   |               |                             |
|     | (Above water)        | 280mm   |               |                             |
| 201 |                      |         |               |                             |
|     | Block                | Front   | Back / Kicker | Block Diving<br>Allowed     |
|     | Height (above water) | 390mm   | 600mm         |                             |
|     | Width                | 57      | /0mm          | YES                         |
|     | Depth                | 66      | 60mm          |                             |

### WATER WORLD AQUATIC CENTRE (RIDGEHAVEN) Updated 03/01/2024

Measured by: Consultant / Surveyor | National | State | District | Club | Venue



| Lane                 | Lane Number | Length | Width |
|----------------------|-------------|--------|-------|
| Outside Lane (left)  | 8           | 50m    | 3m    |
| Outside Lane (right) | 1           | 50m    | 3m    |
| Middle Lane          | 4           | 50m    | 3m    |

#### SHALLOW END

Block Type: N/A

|                | Pool                              | Measure | SAL Policy | Concourse<br>Diving Allowed |
|----------------|-----------------------------------|---------|------------|-----------------------------|
|                | Water Depth @1m                   | 1100mm  |            |                             |
|                | Water Depth @6m                   | 1160mm  |            |                             |
|                | Water Depth @15m                  | 1270mm  | 2          | YES                         |
| Not Applicable | Concourse Height<br>(Above water) | 140mm   |            |                             |
|                |                                   | •       |            |                             |
|                | Block                             | Front   | Back       | Block Diving<br>Allowed     |
|                | Height (above water)              | N/A     | N/A        |                             |
|                | Width                             |         | N/A        | NO                          |
|                | Depth                             |         | N/A        |                             |

#### DEEP END

Block Type: Pool Ocean

### Backstroke Ledge: N/A

|                         | Pool                 | Measure            | SAL Policy       | Concourse<br>Diving Allowed |
|-------------------------|----------------------|--------------------|------------------|-----------------------------|
|                         | Water Depth @1m      | 1800mm             |                  |                             |
|                         | Water Depth @6m      | 1720mm             |                  |                             |
|                         | Water Depth @15m     | 1560mm             |                  | VEC                         |
| No. of Concession, Name | Water Depth @25m     | <mark>950mm</mark> | 4                | YES                         |
|                         | Concourse Height     | 260mm              |                  |                             |
|                         | (Above water)        | 260mm              |                  |                             |
|                         |                      |                    |                  |                             |
|                         | Block                | Front              | Back / Kicker    | Block Diving<br>Allowed     |
|                         | Height (above water) | 520mm              | 590mm            |                             |
|                         | Width                | 46                 | 50mm             | YES                         |
|                         | Depth                | 4                  | <mark>0mm</mark> |                             |

# SPORTS & SWIMMING CENTRE (WESTMINISTER SCHOOL)

### Updated 21/02/2017

- (a) Shallow End: No Diving until pool is remeasured
- (b) Deep End: No Diving until pool is remeasured

### WOODSIDE ARMY BARRACKS (ONKAPARINGA)

### Updated 13/12/2018

- (a) Shallow end 1000mm deep: concourse height above water 0mm (SAL Policy 2b applies diving to a maximum of 400mm) Diving from concourse is ok Pool must be remeasured before each competition and before each day of a multi-day competition.
- (b) Deep end 3000mm deep: Block height above water 670mm and concourse height above water 0mm (SAL Policy 2d applies diving to a maximum of 750mm) - diving from blocks or concourse is OK

### WHYALLA RECREATION CENTRE

### Updated 19/10/2018

- (a) Shallow end 1020mm deep: No Blocks. Concourse height above water 110mm (SAL Policy 2b applies diving to a maximum of 400mm) **diving from concourse is OK** Pool must be remeasured before each competition and before each day of a multi-day competition.
- (b) Deep end 1950mm deep: Block height above water 600mm and concourse height above water 110mm (SAL Policy 2d applies diving to a maximum of 750mm) **diving from blocks or concourse is OK**

#### Venues Not Currently Approved for use by Swimming Clubs

### **Burra Pool**

#### Last Measured: 21/02/17

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.



# **Cambrai Swimming Pool**

#### No measurements on file

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted. Pool Specifications: Opened 01/12/1969, 5x25m, 3.5m deep end



Cowell Pool

Last Measured: 17/03/2015 No Diving permitted

# Eudunda Pool

#### Last Measured: 05/01/06

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.



# Findon Swim School (Norwood)

#### Last Measured:

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.



### **Geranium Pool**

#### Last Measured: 17/02/2015

Not Currently being used by a club No Diving permitted without updated pool specification form being submitted.





### Hamley Bridge Swimming Pool

No Measurements on file – No blocks at either end

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted. Specifications: 5x25m - 3.8m deep end + dive board.




### Hawker Pool

#### Last Measured: 17/02/2015

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.



### Kapunda Swimming Pool

#### No Measurements on file

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted. Specifications: 5x25m, No Blocks + Dive Board 2.8m at deep end & 1m at shallow end



## Karoonda Area School Pool

#### No Measurements on file

Not Currently being used by a club No Diving permitted without updated pool specification form being submitted. Specifications: 4x25m, Blocks at deep end 0.9m shallow end & 1.8 deep end





### Kimba Swimming Centre

#### No Measurements on file

Not Currently being used by a club. Last AGM 25/10/2023. No Diving permitted without updated pool specification form being submitted.



# Kingston Community School Pool

#### No Measurements on file

Not Currently being used by a club.

No Diving permitted without updated pool specification form being submitted. Specifications 5x25m? 1.4m deep at shallow end? 1.5m? No Blocks



### Minnipa & Districts Swimming Pool

#### No Measurements on file

Not Currently being used by a club. Last AGM 11/09/2023 No Diving permitted without updated pool specification form being submitted. Specifications: 6 lanes





### **Murrayville Pool**

#### Last Measured: 12/11/2015

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.

### Parafield Gardens Swimming Centre

Last Measured: 21/11/05 - Blocks at deep end only Not Currently being used by a club No Diving permitted without updated pool specification form being submitted.

## Pridham Hall (UniSA)

No Measurements on file – no blocks Not Currently being used by a club. No Diving permitted without updated pool specification form being submitted. Specifications: 5x25m + Ramp Entry



### Purruna Spencer Newton Centre (Scotch College)

Survey Pending – SR Smith LR850 LONG REACH STARTING BLOCK Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.



### **Roxby Downs Leisure Centre**

Last Measured: 19/12/2018 – Blocks at deep end only

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.

Shallow end 1000mm deep: Concourse height above water 240mm

Deep end 2100mm deep: Block height above water 750mm and Concourse height above water 240mm

### **Sherriffs Road Pool (Fleurieu)**

Last Measured: 31/03/2017 - Blocks at deep end only Not Currently being used by a club No Diving permitted without updated pool specification form being submitted.

### swimskool - Mount Gambier

#### Last Measured: 10/03/2017

Not Currently being used by a club No Diving permitted without updated pool specification form being submitted. Shallow end 940mm deep: No Blocks and concourse height above water 240mm Deep end 940mm deep: No Blocks and concourse height above water 240mm

### Waikerie Pool

Last Measured: 24/02/2015 - Blocks at deep end only Not Currently being used by a club No Diving permitted without updated pool specification form being submitted.

### Williamstown Pool

#### No Measurements on file

Not Currently being used by a club No Diving permitted without updated pool specification form being submitted. Deep End – 2.42m



### Wudinna Swimming Pool

No measurements on file - Blocks at deep end only (Concrete) Not Currently being used by a club No Diving permitted without updated pool specification form being submitted. Pool Specifications: 8x25m – 3m depth + 2 Dive Boards



#### School & Learn to Swim Pools (<25m) Not Currently Approved for use by Clubs

### **Blue Dolphin Swim School**

#### No measurements on file

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.

Pool Specifications: 5 Lanes



### **Brinkworth Primary School Pool**

#### No measurements on file

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.



### **Cleave Area School Pool**

#### No measurements on file

Not Currently being used by a club No Diving permitted without updated pool specification form being submitted.

### **Carrieton Pool**

Last Measured: 29/11/2016 No diving permitted



### Jump Swim School (Aldinga)

No Measurements on file – No blocks at either end Not Currently being used by a club No Diving permitted without updated pool specification form being submitted.

### Jump Swim School (Hackham)

No Measurements on file – No blocks at either end Not Currently being used by a club No Diving permitted without updated pool specification form being submitted.

# Kimba Area School Pool

No Measurements on file – No blocks at either end Not Currently being used by a club No Diving permitted without updated pool specification form being submitted. Specifications: 3 Lanes, Disability lifter, 1.8m deep end



# Mannum Swimming Pool (Community College Pool)

No Measurements on file

Not Currently being used by a club. No Diving permitted without updated pool specification form being submitted. Specifications: 16m



# Swan Reach Area School Pool

Last Measured: 01/03/06 - No Blocks at either end

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.

Pool Specifications: 16m



# West Beach Primary School

#### No Measurements on file

Not Currently being used by a club

No Diving permitted without updated pool specification form being submitted.



#### Closed Venues

| Venue Name          | Last Measured | Closure Date  |
|---------------------|---------------|---------------|
| Balyana Pool        | 13/01/2006    | 2017          |
| Leigh Creek Pool    | 11/03/2008    | 26 April 2021 |
| Magill Pool (UniSA) | 17/02/2015    | 2020          |

#### **Open Water Venues**

Because of the variability of water depths and platform heights above the water due to tidal movements, and the potential uncertainties associated with underwater obstacles, it is not practical to attempt to measure water depth and platform heights for open water swim starts. Therefore, <u>ALL</u> open water swimming competitions that commence from a platform above the water surface shall require the swimmers to use a feet first entry or to start in the water.

#### **End document**